



Charging arrangements for new connection services

1 April 2023 to 31 March 2024

Version 1.0

Index

Charging arrangements

1. Introduction	3
2. You have a choice	4
Water charging arrangements	5
3. Service connections	6
4. New water mains	12
5. Water main diversions	20
6. Adoptions and self-lay	21
Wastewater charging arrangements	24
7. Waste connections and new lateral drains	25
8. New sewers	29
9. Sewer diversions	32
10. Adoptions	35
Infrastructure Charges	37
11. Infrastructure Charges	38
12. Income Offset	41
13. Environmental Discounts	41
General charging arrangements	44
14. Special circumstances	45
15. Payment terms and security arrangements	46
16. Transition arrangements	48
17. Maintaining the broad balance of charges	49
Appendices	
Appendix A - Worked examples	51
Appendix B - Traffic management	66
Appendix C - Definitions and abbreviations	67
Appendix D - Summary of changes	69

Other services we offer

Revision history

V1.0 Published 1 February 2023

1. Introduction

Scope

1.1 These Charging Arrangements are made in accordance with the Charging Rules for New Connection Services (English Undertakers) published by Ofwat.

We describe our charges and methods for calculating charges and credits that might apply during the period from 1 April 2023 to 31 March 2024 in relation to:

- the provision of New Water Mains and New Sewers
- the provision of Service Connections, Lateral Drains and Waste Connections
- Adoption Agreements and Self-Lay Agreements; Diversions and Infrastructure Charges

- 1.2 These Charging Arrangements explain our requirements for security in relation to our charges and the times and methods of payment that you can use to pay our charges.
- 1.3 These Charging Arrangements explain our Transitional Arrangements.
- 1.4 These Charging Arrangements are applicable for work quoted between 1 April 2023 and 31 March 2024 and will be updated and published annually.
- 1.5 All charges are stated excluding VAT.
- 1.6 Under the Charging Rules we are not required to publish charges in these Charging Arrangements relating to:
- 1.6.1 services not listed in section 1.1 above, such as consents to connect to a public sewer under section 106 of the Water Industry Act 1991. For information purposes only, we have included these additional services on page 76 along with our charges. You can find more details about these other services on our website at [Thameswater/developers](#)
- 1.6.2 requests for a supply of water for non-domestic purposes under section 55 of the Act. If we agree to provide a supply of water for non-domestic purposes, the charges for works to enable us to make such a supply, including but not limited to the costs of connection, pipelaying, network reinforcement and/or strategic reinforcement or upgrades etc will be calculated on a case-by-case basis, and will be contained in the terms and conditions of our agreement for the specific supply.
- 1.6.3 charges relating to work carried out in accordance with the New Roads and Street Works Act 1991 or other legislation. This is where we are required to move our apparatus as a result of transport, bridge, highway or other infrastructure projects. For more information about these changes see [Thameswater/developers/working-in-the-street](#)
- 1.6.4 charges relating to consents to discharge Trade Effluent from any trade premises, which are covered in our Charges Scheme at [Thameswater/help-and-advice](#)
- 1.6.5 charges relating to requests made by water supply and sewerage licensees under sections 66A and 117A of the Water Industry Act 1991. These are retailers providing water and / or wastewater services to non-household customers
- 1.6.6 charges that may be imposed in relation to bulk supply or bulk discharge agreements with other water and sewerage undertakers. Details of the services we can provide and the charges payable are set out in our Wholesale Tariff Document at [Thameswater/wholesale](#)
- 1.6.7 You can view our assurance statement on our website at [Thameswater/developers](#)

2. You have a choice

- 2.1.1 When getting new pipes or diverting existing ones, we want you to choose the installer that best suits your site needs and timescales. This might not be us.
- 2.1.2 Self-lay providers (SLPs) might be able to offer cost-effective terms and fit in better with construction programmes and might also offer the installation of multiple utilities. Self-lay schemes receive equivalent service from us as all other jobs, and SLPs are accredited to all the standards required for us to adopt the pipework at completion. You can find SLPs to contact for competitive quotes on the Lloyd's Register at lr.org/wirs.
- 2.1.3 Self-lay providers can carry out the majority of the work involved in laying new water pipes or diverting existing ones – known as 'Contestable' work. 'Non-Contestable' work – representing a small portion of water services – remains our responsibility even if you choose to use an SLP, and we will work in partnership with them to carry this out. Our approach to the self-lay of water infrastructure can be found on our website at Thameswater/developers/self-lay.
- 2.1.4 As we publish fixed rates for most of the work, you will be able to make a direct comparison between a quote from a self-lay provider and what we are likely to charge you without having to get a quote from us.
- 2.1.5 We do not normally lay or divert new drains or sewers, as you are generally able to do this yourself, subject to meeting the requirements for consent and adoption that are detailed on our website. In certain circumstances we may exercise our right to carry out some of the work, such as when a connection is being made to a strategic or trunk sewer.
- You can find more details on our website at Thameswater/developers.
- 2.1.6 Remember that you must tell us before making a connection to our water or wastewater networks, and that Infrastructure Charges will be payable to us in addition to the cost of the works, even if you arrange the works yourself.
- 2.1.7 In addition to the option of self-lay, if you are (or you represent) a non-household customer you have the option of asking your chosen retailer to arrange the connection on your behalf. Developers and large users have the option of entering into an agreement with other water and / or sewerage undertakers (sometimes known as NAVs) to serve a specific geographical area (sometimes known as an inset) within our supply area, in which case they will arrange new connections.

Water charging arrangements



3. Service connections

3.1 Introduction

- 3.1.1 A Service Connection includes the provision of a connection to a water main, laying a pipe to the boundary of your property (the 'Service Pipe'), connecting to your supply pipe and usually the installation of a boundary box, an outside stop valve and a meter.
- 3.1.2 The extent of our works in relation to a Service Connection is shown in orange in diagram 1.
- 3.1.3 A typical home will be supplied by a pipe with an external diameter of either 25mm or 32mm, depending on the number of fittings (such as toilets and washing machines). Properties with higher usage will require larger supply pipes. Properties with higher usage will require larger supply pipes.
- 3.1.4 If you require multiple standard connections with a pipe diameter of 25mm, we may be able to install a manifold. This can provide up to six metered supplies for a lower overall charge than if each was individually connected to the main. However, this is subject to there being sufficient space for the installation of the manifold chamber. Four- and six-port manifolds can only be used for supplies to flats within the same building.




Diagram 1

3.2 Who can carry out the works?

- 3.2.1 Service Connections with an external diameter up to 63mm are Contestable. This means self-lay providers (SLPs) can carry out these works for you, unless we assess that the condition of the main or the material heightens the risks to existing assets or could affect supplies to existing customers. We are likely to assess the following circumstances as inappropriate for self-lay:
 - (a) The main you are connecting to is a trunk main.
 - (b) The main you are connecting to is made of asbestos cement, glass reinforced plastic (GRP), polyvinyl chloride (PVC) or molecular-oriented polyvinyl chloride (MoPVC).
- 3.2.2 Service Connections with a diameter above 63mm are generally Non-Contestable, which means they remain our responsibility. If we consider the works to be low risk, we may allow a suitably accredited SLP to carry them out. We will assess this on a case-by-case basis, and the decision is entirely at our discretion.
- 3.2.3 For more information about our approach to the self-lay of Service Connections and our charges please see section 6.

3.3 How we calculate our charges

- 3.3.1 Our charges for Service Connections are broken down into four elements:
 - (a) A **fixed charge for the connections** to the main and to your pipework, including the first metre of pipework from the water main, the installation of a boundary box, installation of the outside stop valve and meter and carrying out the Water Regulations inspection. This is shown as a single charge calculated with reference to the diameter of the connecting pipe (for example, 25mm), where we connect to the main (for example, in the road) and whether or not you carry out the excavation, backfill and reinstatement works (see table at 3.7.1)
 - (b) A **fixed charge for laying additional service pipe** between the connection pipework and the boundary box. This is a per metre charge (rounded up to whole metres) calculated with reference to the size of the connecting pipe, where we lay our pipe and whether or not you carry out the excavation, backfill and reinstatement works (see table at 3.7.1)
 - (c) If there is potential contamination in the ground, you will need barrier pipe. In this case we will charge you based on our fixed charge for barrier pipe connections and pipe laying
 - (d) Ancillary charges (see table at 3.7.2)

3.4 Costs included in our fixed charges

3.4.1 Our fixed charges include the cost of:

- (a) A percentage uplift for Traffic Management and highway authority charges. We have applied different percentages to the rates for working in the road, footpath and unmade ground to reflect the differing Traffic Management requirements. There is no percentage uplift for work that does not require us to carry out excavation. We will charge for works in a private road using the rate for works in a footpath. We have set the percentages at a level that aims to recover the overall cost that we incur. We will make no further credits or charges in respect of Traffic Management or highway authority charges for schemes charged using our fixed rates, unless associated with abortive charges. For more information on what constitutes Traffic Management please see Appendix B.
- (b) Site visits: Our fixed charges allow for one Water Regulations inspection visit, an enabling site visit and one additional field engineer visit. We will charge you for any additional visits you require, including if your Water Regulations inspection fails.

3.4.2 Our fixed charges for Service Connections are:

- (a) based on the typical cost we expect to incur to carry out each of the specified elements of work. We have calculated them based on analysis of the cost of recent Service Connection work and will review and update them annually. Each year we will also review the percentage uplifts for Traffic Management and adjust as required to make sure our charges remain cost reflective.
- (b) limited to the cost of connecting to the nearest reasonably practicable point on the network where the existing water main is at least the same diameter as your Service Connection, in order to provide the capacity for your development. We will make no additional connection charge in the event that we need to find an alternative point of connection for capacity reasons or if we need to carry out additional works beyond the point of connection in order to provide capacity for your development

3.4.3 As shown in our table of ancillary charges, fees apply for processing Service Connection applications, producing designs and issuing quotes. These fees are payable in advance and non-refundable.

3.5 Ancillary charges

3.5.1 Our ancillary charges include any abortive costs caused by you or your site not being ready when we attend on an agreed day to carry out our works, or where you cancel an agreed appointment. This includes situations where we consider the site to be unsafe, for example due to insufficient working space, proximity to scaffolding, existence of trip hazards or movement of plant.

- (a) If you cancel an agreed appointment at any time or your site is not ready, we will recover from you all additional costs we have to pay to the highway authority to re-book any permits, suspensions or closures, plus a 30% administrative charge plus
- (b) If we receive less than two working days' notice of cancellation or your site is not ready, we will invoice you an abortive charge to cover remobilisation and lost time, including associated planning, enabling, plant and supervision.

3.5.2 If you choose to carry out the excavation, backfilling and reinstatement work for a Service Connection you must provide sufficient space for us to install our pipe and fittings and make sure that on completion of your works all chambers are dry and clear of debris and that all valves are operable. If you do not ensure all chambers are dry and clear of debris and that all valves are operable, we reserve the right to take action to clear any water and debris and to repair any damage done to our apparatus and we will recover from you any costs we incur in relation to this.

3.5.3 There will be a charge for internal fit meters where we provide a bulk supply to a building which serves individually metered properties within that building. The charge is on a supply basis. We reserve the right to take action to repair any damage done to our apparatus, and we will recover from you any costs we incur in relation to this.

3.6 Estimating the charges for your scheme

3.6.1 In order to estimate your charge, you will need to know the parameters of your development, in particular:

- (a) the size of Service Pipe you require (based on pipe diameter) – please see 3.7.3
- (b) the length of Service Pipe you require, i.e., the distance from the end of your supply pipe to the existing main to connect to. If you need help in identifying the existing mains, you can view our maps for free at the office specified in the link below or you can get this information from a property search provider. For more information see

[Thameswater/developers/where-our-pipes-are](#)

- (c) the likely route of the Service Pipe from the point of service connection to the boundary of your development site

- (d) whether there is contamination present in the land in which the Service Pipe is to be installed. If you are certain there is no risk of contamination you do not need to use the barrier pipe inclusive rates in your estimate; if not, you should do so

3.7.1 Tables of fixed connection and pipe laying charges. If the Service Connections are to be delivered in phases, we will add a phasing charge for the start of each new phase.

Water connection rates (where barrier pipe is needed)				
Connection charge (per connection)				
Internal/external diameter (for PE pipes)	Connection in a road	Connection in a private road or a footpath	Connection in unmade ground	Connection no excavation or with customer excavation
20/25mm ^C	Single £4,170 4-port (1 capped) £6,460 4-port £6,660 6-port (1 capped) £8,490 6-port £8,690	Single £2,900 4-port (1 capped) £4,220 4-port £4,400 6-port (1 capped) £6,140 6-port £6,330	Single £1,230 4-port (1 capped) £2,430 4-port £2,610 6-port (1 capped) £3,790 6-port £3,960	Single £600 4-port (1 capped) £1,420 4-port £1,580 6-port (1 capped) £2,210 6-port £2,380
25/32mm ^C	£4,170	£2,900	£1,230	£750
50/63mm ^C	£6,410	£4,800	£2,540	£1,680
80/90mm ^{CA}	£9,420	£7,710	£5,480	£3,870
100/125mm ^{CA}	£12,050	£8,490	£6,250	£4,360
150/180mm ^{CA}	£16,660	£11,730	£8,860	£6,030
200/250mm ^{NC}	£22,690	£15,880	£11,900	£8,590
300/355mm ^{NC}	£28,290	£21,490	£16,230	£9,890

Pipe-laying charge (per linear metre)				
Internal/external diameter (for PE pipes)	Connection in a road	Connection in a private road or a footpath	Connection in unmade ground	Connection no excavation or with customer excavation
20/25mm ^C	£670 /m	£570 /m	£260/m	£30 /m
25/32mm ^C	£710 /m	£570 /m	£260/m	£40 /m
50/63mm ^C	£730 /m	£580 /m	£280 /m	£50 /m
80/90mm ^{CA}	£770/m	£600 /m	£310 /m	£70 /m
100/125mm ^{CA}	£790 /m	£640 /m	£320 /m	£90 /m
150/180mm ^{CA}	£970 /m	£830 /m	£420 /m	£120 /m
200/250mm ^{NC}	£1,350 /m	£1,170 /m	£600 /m	£220 /m
300/355mm ^{NC}	£1,840 /m	£1,530/m	£860 /m	£310 /m

C = Contestable, CA = Contestable depending on accreditation, NC = Non-Contestable

Water connection rates (where barrier pipe is not needed)				
Connection charge (per connection)				
Internal/external diameter (for PE pipes)	Connection in a road	Connection in a private road or a footpath	Connection in unmade ground	Connection no excavation or with customer excavation
20/25mm ^C	Single £3,240 2-port £3,620 4-port (1 capped) £5,560 4-port £5,740 6-port (1 capped) £7,630 6-port £7,810	Single £2,360 2-port £2,570 4-port (1 capped) £3,680 4-port £3,860 6-port (1 capped) £5,660 6-port £5,840	Single £860 2-port £1,030 4-port (1 capped) £2,030 4-port £2,100 6-port (1 capped) £3,270 6-port £3,610	Single £410 2-port £680 4-port (1 capped) £1,210 4-port £1,370 6-port (1 capped) £1,940 6-port £2,180
25/32mm ^C	£3,490	£2,530	£920	£430
50/63mm ^C	£5,630	£4,200	£2,400	£1,570
80/90mm ^{CA}	£8,940	£6,970	£5,140	£3,040
100/125mm ^{CA}	£11,440	£8,040	£5,780	£3,510
150/180mm ^{CA}	£15,740	£11,060	£8,310	£4,880
200/250mm ^{NC}	£20,930	£14,620	£11,130	£6,890
300/355mm ^{NC}	£26,630	£19,950	£15,430	£7,690

Pipe-laying charge (per linear metre)				
Internal/external diameter (for PE pipes)	Connection in a road	Connection in a private road or a footpath	Connection in unmade ground	Connection no excavation or with customer excavation
20/25mm ^C	£610 /m	£470 /m	£220/m	£30 /m
25/32mm ^C	£630 /m	£480 /m	£230/m	£30 /m
50/63mm ^C	£650 /m	£540 /m	£240 /m	£40 /m
80/90mm ^{CA}	£700/m	£560 /m	£250 /m	£60 /m
100/125mm ^{CA}	£750 /m	£590 /m	£270 /m	£70 /m
150/180mm ^{CA}	£970 /m	£790 /m	£380 /m	£100 /m
200/250mm ^{NC}	£1,320 /m	£1,070 /m	£540 /m	£160 /m
300/355mm ^{NC}	£1,780 /m	£1,440/m	£790 /m	£270 /m

C = Contestable, CA = Contestable depending on accreditation, NC = Non-Contestable

Please note that the pipe laying charge where a manifold is used is based on the following external pipe diameters (for PE pipes):

2 port manifold - 32mm

4 port manifold - 63mm if barrier pipe is required, otherwise 50mm

6 port manifold - 63mm

The above charges are subject to VAT at the applicable rate.

3.7.2 Table of ancillary charges

Item	Charge	What the charge covers
Application fee ^{NC*}	£55 + VAT per application	The cost of processing the application, including logging, clarifying the application details, creating the job reference, processing payment and creating an invoice
Design fee ^{C*}	£55 + VAT for the first property	The cost of considering the application, designing the service connection, and producing a quote
	£35 + VAT for each additional property	
Checking fee ^{NC*}	£35 + VAT for the first property	The cost of considering the application, reviewing the submitted design including validation that it conforms to appropriate standards, carrying out a site survey, liaising with third parties and producing a quote
	£25 + VAT for each additional property	The cost of remobilising, site set up and any traffic management
Phasing charge ^{NC*}	£3,490 + VAT for the start of each phase	The cost of remobilising, traffic management and administration

Application and design fees are payable in advance, non-refundable and subject to VAT at the standard rate.

Item	Charge	What the charge covers
Re-quote fee ^{NC*}	£45 + VAT per quote	The cost of updating any details and recalculating the quote
Re-design fee ^{C*}	£35 + VAT for the first property	The cost of redesigning the service connection
	£25 + VAT for each additional property	

*Please see 3.8.1

Requote and re-design fees are non-refundable.

Item	Charge	What the charge covers
Additional visit charge ^{NC}	£185 + VAT per quote	The time and travel costs for visiting the site
Abortive visit fee ^{NC}	£260 + VAT per visit plus any additional costs we incur from the highway authority plus an administration fee of 30% as detailed in 3.5.1. If we have commenced construction and you wish to cancel the work, we will also charge you the actual costs of any work incurred	The cost of remobilisation and lost time including associated planning, enabling, plant and supervision. If you cancel the work after construction has commenced we will also charge you for any actual costs incurred for the work that has been carried out to that point, and to backfill and reinstate any excavation
Permanent disconnection charge	Free for household properties (for non-household disconnections contact your supplier)	

Additional visit charges are subject to VAT at the same rate as the works. Other ancillary charges are subject to VAT at the applicable rate

C = Contestable, NC = Non-Contestable

Internal Water meters

The cost of providing an external meter is included in the connection fee. If your development requires internal meters, such as for multiple occupancy buildings, the costs are included in the table [below or table number]. This charge includes the cost of the meter, the fittings for an in-line installation and the administration costs of proving and setting up the account

Meters will be ordered approximately four to six weeks before installation is required.

Should you wish to order replacement meters we will charge you for the cost of the meter and administration charge.

Meter size and type	Initial Meter Charge	Replacement Meter Charge
15mm concentric ^{NC}	£170	£50
15mm in line ^{NC}	£180	£70
20mm in line ^{NC}	£210	£90
25mm in line ^{NC}	£260	£140
30mm in line ^{NC}	£280	£160
40mm in line ^{NC}	£320	£200
50mm in line ^{NC}	£390	£280
80mm in line ^{NC}	£470	£350
100mm in line ^{NC}	£520	£410
150mm in line ^{NC}	£720	£610

The above ancillary charges are subject to VAT at the applicable rate.

3.7.3 Sizing your connection

You can estimate the pipe size for your Service Connection or ask us to do this as part of a quote. As a general guide for indicative purposes only, the typical pipe sizing for a Service Connection for residential developments will be (stated as the external diameter of a PE pipe):

25mm or 32mm: up to 1 typical house

50mm: up to 16

63mm: up to 40

90mm: up to 100

125mm: up to 230

180mm: up to 700

3.8 Applications and quotes for Service Connections

3.8.1 If you would like us to construct a Service Connection for you or modify an existing one, you need to submit a completed application form. You can do this online or by downloading and sending us a form by email or post. You must pay an application fee and a design fee for us to process your application, design the Service Connection and provide you with a quote. If you arrange your own design through an accredited designer and we accept the design, you will pay the checking fee rather than the design fee.

3.8.2 We base our quote on the information available to us at the time and our fixed charges. If you require a requote as a result of changes to your scheme a requote fee will be payable, and your requote will be calculated using charges applicable at the time of the requote.

3.8.3 The quote we produce is a fixed charge which will not be automatically reviewed and adjusted on completion, so please ensure you have checked the detail before you accept the quote. We will only review the charge after completion if you ask us to do so, and we will only adjust the charge if there was a change in the location of the connection and / or the number of metres of pipe laid, which will be calculated to the nearest metre. However, if you request a change to the design once we are on-site, you will be asked to sign a variation order to confirm you will pay the cost of the changes – based on our fixed price charges applicable at the date of the works – or we will cancel the job and ask you to obtain a requote. Abortive charges and charges for additional site visits are not included in our quote and will increase the cost of your Service Connection where applicable.

3.8.4 Our quote will be valid for 180 calendar days, subject to the conditions set out in 3.8.5 below. If it is not accepted and paid for within this time, you will require a requote. A requote fee will be payable, and your requote will be calculated using charges applicable at the time of the requote.

3.8.5 Once you've accepted and paid for your quote for Service Connections, you must lay all of the supply pipe and pass your water regulations inspection within 12 months from the date of the quote. If you have not laid your supply pipe and passed your water regulations inspection within the 12-month time period, you will require a requote. A requote fee will be payable, and your requote will be calculated using charges applicable at the time of the requote.

3.8.6 Where it is planned that a service pipe is to run for 30m or more on your side of the property boundary, we may insist that a new water main is laid to ensure that sufficient flow and pressure is achieved at the property. If this is the case, then a service quote will accompany a mains extension quote; both will need to be paid and accepted to proceed.

3.8.7 If you are arranging for an SLP to construct your service connection, you need to make an application for a Service Connection to us and you and your self-lay provider must enter into a self-lay agreement with us and notify us before any connection is made. Please refer to section 6 for further information about self-lay agreements.

3.8.8 For payment terms and security requirements, see section 15.

4 New water mains

4.1 Introduction

4.1.1 If there is no public water main near your premises for us to connect you to, you will need a New Water Main in addition to Service Connections. The process of asking us to provide a New Water Main is known as a Requisition.

4.1.2 The New Water Main includes providing a connection to our existing supply network, typically including a valve and a washout. Further meterage of new main is then laid up to the agreed point(s) within your development site.

4.1.3 You can choose to carry out the excavation, backfill and reinstatement for the new main or ask us to do it. Note that we only backfill and reinstate sites we have excavated ourselves.

4.2 Who can carry out the works?

4.2.1 Water main laying is Contestable. This means self-lay providers (SLPs) can carry out this work for you, unless we assess that it involves heightened risk to existing assets or could affect supplies to existing customers.

4.2.2 Making the connection to the existing water main for connections greater than 180mm is Non-Contestable, which means it remains our responsibility. For smaller connections, if we consider the works to be low risk, we may allow a suitably accredited SLP to carry them out. We will assess this on a case-by-case basis. Accreditation requirements can be found at [Thameswater/developers/self-lay](#)

4.2.3 For more information about our approach to self-laying of water mains and our charges please see section 6.

4.3 How we calculate our charges

4.3.1 The method for calculating the charges for New Water Mains will depend on whether Special Circumstances exist.

4.4 Schemes involving Special Circumstances

4.4.1 We categorise Special Circumstances as works including one or more of the following:

- (a) where the technical complexity of the work is high, or the type of work required is bespoke or carried out infrequently
- (b) where third parties can legitimately recover their costs and there is not a reasonable level of certainty of those costs in advance of connection work being undertaken
- (c) where third parties have rights to protect their assets or interests in a way that affects the construction method, and the third parties' requirements are unknown up front
- (d) where the work is to be carried out on or close to land with particular environmental, historical or archaeological characteristics

4.4.2 We also include within Special Circumstances the laying of New Water Mains with an external diameter above 355mm, as jobs of this sort are carried out infrequently.

4.4.3 Full details of what we classify as Special Circumstances are contained in section 14.

4.4.4 If no Special Circumstances exist, we will calculate our charges for New Water Mains as set out in 4.5 and on the basis of our fixed charges detailed in 4.11.

4.4.5 If Special Circumstances exist, we will price our charges for New Water Mains on application as set out in 4.9 and you will pay the actual costs, we incur in carrying out the work. The price on application is based on our detailed design, which identifies the connection point into the existing network, the sizes, lengths and route of the New Water Main, the required fittings and any potential Traffic Management requirements. We will base the quote we issue to you on the estimated cost of these plus the required plant, labour and materials. We will base the final charge on the actual cost of all these items plus any additional costs we may have incurred due to working in or near Third Party Land.

4.5 Calculating our charges where no Special Circumstances exist

4.5.1 Where no Special Circumstances exist, our charges for providing a New Water Main are broken down into the following elements:

- (a) A fixed charge for the connection to the existing water main including the installation of a valve and washout. This is shown as a single charge calculated with reference to the diameter of the New Water Main (for example, 125mm), where we connect to the existing water main (for example, in the road) and whether or not you carry out the excavation, backfill and reinstatement works (please see 4.11.1). Sometimes we may carry out a branch connection in advance in anticipation of the development and the cost of this branch connection will be calculated in accordance with our fixed charges.
- (b) A fixed charge for laying pipe from the existing water main to the required end point(s). This is shown as a per metre composite charge (rounded up to whole metres) calculated with reference to the diameter of the New Water Main (for example, 125mm), where we lay our pipe (for example, in the road) and whether or not you carry out the excavation, backfill and reinstatement works (please see 4.11.1). The composite rate includes all required fittings and materials, and different rates apply according to whether or not barrier pipe is needed.
- (c) If the New Water Main is to be delivered in phases, we will incur additional costs associated with multiple visits to your site, extra works and extra fittings. To reflect this, we add a phasing charge for the start of each new phase (please see 4.11.3).
- (d) If the number of phases changes as the project progresses, you will need to pay an additional phasing fee before we will arrange to return.
- (e) Ancillary charges (please see 4.11.3).

4.6 Costs included in our fixed charges

4.6.1 Our fixed charges include the cost of:

- (a) A percentage uplift for Traffic Management and highway authority charges. We have applied different percentages to the rates for working in the road, footpath and unmade ground to reflect the differing Traffic Management requirements. There is no percentage uplift for work that does not require us to carry out excavation. We will charge for works in a private road using the rate for works in a footpath. We have set the percentages at a level that aims to recover the overall cost we incur. We will make no further credits or charges in respect of Traffic Management or highway authority charges for schemes charged using our fixed rates, unless associated with abortive charges. For more information on what constitutes Traffic Management please see Appendix B.
- (b) Crossing or accessing Third Party Land, in which case we will have to agree compensation with the owner to cover any damage or disruption that may result. We may incur additional costs in dealing with the third party and may have to plan our works differently, including revising our timescales. We have set our fixed charges at a level that recovers the overall cost of working in Third Party Land, so we will make no further credits or charges in respect of this.
- (c) Site Visits: Our fixed charges allow for one site survey, an enabling Site Visit, a pre-commencement meeting and a completion meeting. We will charge you for any additional visits you require in accordance with our table of charges.

4.6.2 Our fixed charges for New Water Mains are:

- (a) based on the typical cost we expect to incur to carry out each of the specified elements of work. We have calculated these charges based on analysis of the cost of recent New Water Mains work and will review and update them annually. Each year we will also review the percentage uplifts for Traffic Management and adjust as required to make sure our charges are cost reflective
- (b) limited to the cost of connecting to the nearest reasonably practicable point on the network where the existing water main is at least the same diameter as the New Water Main you require to provide the capacity for your development. Please see 4.11 for further information about the charging point of connection

4.7 Ancillary charges

4.7.1 Our ancillary charges include any abortive costs caused by you or your site not being ready when we attend on an agreed day to carry out our works or where you cancel an agreed appointment. This includes situations where we consider the site to be unsafe, for example due to insufficient working space, proximity to scaffolding, existence of trip hazards or movement of plant.

- (a) If you cancel an agreed appointment at any time or your site is not ready, we will recover from you all additional costs we have to pay to the highway authority to re-book any permits, suspensions or closures, plus a 30% administrative charge plus
- (b) If we receive less than two working days' notice of cancellation or your site is not ready, we will invoice you an abortive charge to cover remobilisation and lost time, including associated planning, enabling, plant and supervision.

4.7.2 If you choose to carry out the excavation, backfilling and reinstatement work for a New Water Main, you must provide sufficient space for us to install our pipe and fittings and make sure that on completion of your works all chambers are dry and clear of debris and that all valves are operable. If you do not ensure all chambers are dry and clear of debris and that all valves are operable, we reserve the right to take action to clear any water and debris and to repair any damage done to our apparatus and we will recover from you any costs we incur in relation to this.

4.8 Estimating the charges for your scheme

4.8.1 In order to estimate your charge, you will need to know the parameters of your development, in particular:

- (a) the size of New Water Main you require (based on pipe diameter)
- (b) the length of New Water Main you require, for example the distance to the existing main you are connecting to, and in how many phases the pipework will be laid. If you need help in identifying the existing mains, we can help you with this. You can view our maps for free at our specified office or you can get this information from a property search provider. For more information see [Thameswater/developers/where-our-pipes-are](#)
- (c) the likely route of the New Water Main from the point of connection into your development site
- (d) whether there is contamination present in the land in which the New Water Main is to be installed. If you are certain there is no risk of contamination, you do not need to use the barrier pipe inclusive rates in your estimate; if not, you should do so
- (e) whether there is contamination present in the land in which the New Water Main is to be installed. If you are certain there is no risk of contamination, you do not need to use the barrier pipe inclusive rates in your estimate; if not, you should do so
- (f) the number of properties that will be connected to the water network as part of the scheme
- (g) whether the scheme has Special Circumstances.
- (h) Any scheme involving any of the circumstances set out in section 14 are considered to have Special Circumstances.

4.9 Calculating our charges where Special Circumstances exist

- 4.9.1 Where Special Circumstances exist, we will charge you our actual reasonably incurred costs for this element of the work. These could include – but are not limited to – the cost of the works, Traffic Management, highway authority charges, other third-party charges and ancillary charges. For example, for a New Water Main which crossed a railway, we would charge based on actual cost for the portion in or affected by the railway.
- 4.9.2 We charge a non-refundable, fixed price application fee to produce a budget estimate and a further percentage-based fee to design the scheme and produce an indicative quote. If you do not proceed with the scheme, we will provide an account of the costs incurred and credit or invoice you for the difference compared to the design fee you paid.
- 4.9.3 Our indicative quote is not a fixed price quote and will be valid for 180 days. It is subject to change in the event that the requirements of the scheme change. If you require a requote as a result of changes you have made to your development, a requote fee will be payable.
- 4.9.4 On completion of the New Water Main, we will provide an account of the actual costs incurred and meterage delivered (if relevant) and either credit or invoice you for the difference.
- 4.9.5 For details about how you can get an estimate of the charges payable where Special Circumstances exist and how we will charge you the actual costs incurred for the works, please see 4.12.

4.10 Network Reinforcement

- 4.10.1 We will limit the charge for a New Water Main to the cost of connecting to the nearest reasonably practicable point on our supply network where the existing main is at least the same diameter as the New Water Main you require to provide the capacity required for your development.
- 4.10.2 We may sometimes need to find an alternative point of connection for capacity reasons, resulting in a longer length of New Water Main. If so, we will not charge you for the additional length, although the cost will be considered to be Network Reinforcement and we will recover this through Infrastructure Charges..
- 4.10.3 We may also sometimes increase the size of the New Water Main in order to provide future capacity for other developments in the area. If so, we will not charge you in full for the upsized New Water Main. Instead, we will charge you based on the proportion of the capacity of the New Water Main that is actually required for your development. We will calculate this based on anticipated flows for your development compared to the design capacity of the New Water Main. This will be based on Code for Adoption flow tables.

- 4.10.4 Sometimes the installation of a New Water Main results in a requirement to install additional capacity in our network upstream from the point of connection to make sure there is sufficient flow and pressure for your development. For example, we may need to provide additional mains or pumps. We consider this to be Network Reinforcement and will exclude it from the charge for your New Water Main but will recover it through our Infrastructure Charges.

4.11 Our fixed charges for New Water Mains

4.11.1 Tables of connection and pipe laying charges (where no Special Circumstances exist). Mains greater than 355mm are classed as special circumstances and will be priced on application.

New mains rates				
Connection charge (per connection)				
Internal/external diameter (for PE pipes)	Connection in a road	Connection in a private road or a footpath	Connection in unmade ground	Connection with no excavation or with customer excavation
80/90mm ^{CA}	£11,820 /m	£8,850 /m	£6,810 /m	£3,880 /m
100/125mm ^{CA}	£12,040 /m	£9,070 /m	£7,020 /m	£4,070 /m
150/180mm ^{CA}	£13,110 /m	£9,900 /m	£7,670 /m	£4,480 /m
200/250mm ^{NC}	£14,820 /m	£11,300 /m	£8,880 /m	£5,330 /m
300/355mm ^{NC}	£18,340 /m	£15,090 /m	£12,090 /m	£7,940 /m

Pipe-laying charge (per linear metre) (where barrier pipe is needed)				
Internal/external diameter (for PE pipes)	Connection in a road	Connection in a private road or a footpath	Connection in unmade ground	Connection with no excavation or with customer excavation
80/90mm ^C	£630 /m	£610 /m	£290 /m	£150 /m
100/125mm ^C	£680 /m	£630 /m	£320 /m	£170 /m
150/180mm ^C	£810 /m	£780 /m	£400 /m	£210 /m
200/250mm ^C	£1,030 /m	£1,010 /m	£550 /m	£330 /m
300/355mm ^C	£1,350 /m	£1,320 /m	£860 /m	£520 /m

Pipe-laying charge (per linear metre) (where barrier pipe is not needed)				
Internal/external diameter (for PE pipes)	Connection in a road	Connection in a private road or a footpath	Connection in unmade ground	Connection with no excavation or with customer excavation
80/90mm ^C	£630 /m	£580 /m	£280 /m	£120 /m
100/125mm ^C	£650 /m	£600 /m	£300 /m	£150 /m
150/180mm ^C	£780 /m	£750 /m	£380 /m	£180 /m
200/250mm ^C	£960 /m	£900 /m	£520 /m	£260 /m
300/355mm ^C	£1,260 /m	£1,230 /m	£790 /m	£460 /m

C = Contestable, CA = Contestable depending on accreditation, NC = Non-Contestable

Our rates for 'part made ground' apply for works within a development site where the ground has been worked (i.e., the 'unmade ground' rate is not applicable), but the road / footpath has not been surfaced.

We will use the rates for 'footpath' for works carried out in private roads, including surfaced but not yet adopted roads within a development.

If the new main is to be delivered in phases, we will add a phasing charge for the start of each new phase.

The above charges are subject to VAT at the applicable rate.

4.11.2 Any work involving Special Circumstances will be charged in accordance with 4.9 above. The following ancillary charges apply for New Water Mains featuring Special Circumstances:

4.11.3 Table of ancillary charges (where no Special Circumstances exist)

Item		Charge	What the charge covers
Application fee ^{NC}		£55 + VAT per application	The cost of processing the application including logging, clarifying the application details, creating the job reference, processing payment and creating an invoice
Design fee ^C	1-9 properties	£285 + VAT per application	The cost of carrying out surveys and liaising with third parties in order to produce a detailed design for the scheme and indicative quote
	10-49 properties	£575 + VAT per application	
	50+ properties	£1,145 + VAT per application	
Checking fee ^{NC}	1-9 properties	£115 + VAT per application	The cost of considering the application, reviewing the submitted design including validation that it conforms to appropriate standards, carrying out a site survey, liaising with third parties and producing a quote
	10-49 properties	£230 + VAT per application	
	50+ properties	£460 + VAT per application	
Phasing charge ^{NC}		£3,880 for the start of each phase	The cost of remobilising, site set up and any traffic management
Re-quote fee ^{NC}		£45 + VAT per quote	The cost of updating any details and recalculating the quote
Re-design fee ^C	1-9 properties	£170 + VAT per application	The cost of re-designing the scheme
	10-49 properties	£345 + VAT per application	
	50+ properties	£685 + VAT per application	
Re-checking fee ^{NC}	1-9 properties	£115 + VAT per application	The cost of reviewing the re-submitted design, including validating that it conforms to appropriate standards
	10-49 properties	£230 + VAT per application	
	50+ properties	£460 + VAT per application	
Amendment fee ^{NC}		£170 + VAT per application	The cost of making minor changes to a scheme design
Additional visits charge ^{NC}		£185 + VAT per visit	The time and travel costs of visiting the site
Abortive visit fees ^{NC}		£260 + VAT per visit plus any additional costs we incur from the highway authority plus an administration fee of 30% If we have commenced construction and you wish to cancel the work, we will also charge you the actual costs of any work incurred	The cost of remobilisation and lost time, including associated planning, enabling, plant and supervision. If you cancel the work after construction has commenced we will also charge you for any actual costs incurred for the work that has been carried out to that point, and to backfill and reinstate any excavations made.
	Remobilisation charge without welfare facilities	Plus £1,920 per visit or	
	Remobilisation charge with welfare facilities	£4,250 per visit	

Additional visit charges are subject to VAT at the same rate as the works. Other ancillary charges are subject to VAT at the applicable rate.

4.11.4 Table of ancillary charges (where Special Circumstances exist)

Item	Charge	What the charge covers
Application fee ^{NC}	£55 + VAT for a budget estimate	The cost of processing the application including logging, clarifying the application details, creating the job reference, processing payment and creating an invoice
Budget estimate fee ^{NC}	£1,300 + VAT for a budget estimate	The cost of considering the application, carrying out a site survey and producing a high-level design in order to produce a budget estimate
Design fee ^C	15% of the estimated scheme value on account of the actual cost	The cost of carrying out surveys and liaising with third parties in order to produce a detailed design for the scheme and indicative quote
Re-quote fee ^{NC}	£45 + VAT per quote	The cost of updating any details and recalculating the quote

The above ancillary charges are subject to VAT at the standard rate.

C = Contestable, NC = Non-Contestable

4.11.5 Sizing the pipework for your New Water Main

- (a) You can estimate the sizing of the pipework for your New Water Main or ask us to do this as part of a budget estimate if Special Circumstances apply. The table below is a general guide for the typical sizing of New Water Main required for household properties. Please note it is for indicative purposes – once detailed design is carried out, the size required may be different.
- (b) Developments containing both houses and flats will need to be considered on a case-by-case basis.

Internal / external diameter (for PE pipes)	Typical number of properties supplied
80/90mm	up to 60 houses or 100 flats
100/125mm	up to 130 houses or 230 flats
150/180mm	up to 400 houses or 700 flats
200/250mm	up to 900 houses or 1,500 flats
300/355mm	up to 2,600 houses or 4,500 flats

4.12 Applications and quotes for New Water Mains

- 4.12.1 If you would like to apply for a New Water Main or modify an existing one, you need to submit a completed application form. You can do this online or by downloading and sending us a form by email or post.
- 4.12.2 You must pay an application fee for us to process your application and assess whether Special Circumstances exist.
- 4.12.3 If you wish us to design the mains scheme, and no special circumstances exist, you must pay a design fee based on the number of properties to be connected as part of the scheme. This covers the cost of producing the design and issuing a quote.
- 4.12.4 If you arrange your own design through an accredited designer, (who must meet WIRS competency requirements for design), we will charge a checking fee to cover the cost of reviewing the design, validating that it conforms to acceptable standards and producing the quote. For details on accreditation requirements please see the design standards within the Water Industry Registration Scheme (WIRS) – Accredited Entity (WIRSAE). The full document can be found at Irqa.com/en-gb/utilities/wirs-wirsaе/search
- 4.12.5 We base our quote on the information available to us at the time and the fixed charges applicable at that date.
- 4.12.6 The quote we produce is a fixed charge (assuming no Special Circumstances exist) which will not be adjusted upon completion so ensure you have checked the detail before you accept the quote. However, if you request a change to the design once we are on site, you will be asked to sign a variation order to confirm you will pay the cost of the changes based on our fixed price charges applicable at the date of the works, or we will cancel the job and ask you to obtain a requote. Abortive charges and charges for additional site visits are not included in our quote and will increase the cost of your New Water Mains where applicable.
- 4.12.7 If you wish us to design the mains scheme, but special circumstances exist, you must pay for a budget estimate and a further percentage-based fee to design the scheme and produce an indicative quote
- 4.12.8 Our quote will be valid for 180 calendar days, subject to the conditions in section 4.12.9 below. If it is not accepted and paid for within this time you will require a requote. A requote fee will be payable, and your requote will be calculated using charges applicable at the time of the requote.
- 4.12.9 Once you've accepted and paid for your quote for mains connections, the phase of mains laying construction must have commenced within 18 months of the quotation date. If it is not, you will require a requote. A requote fee will be payable, and your requote will be calculated using charges applicable at the time of the requote.
- 4.12.10 For payment terms and security requirements, see section 15.
- 4.12.11 Where no Special Circumstances exist:
- (a) We will carry out a site survey, design the New Water Main and liaise with third parties in order to provide you with a quote for the New Water Main. The quote will be based on our fixed charges and is subject to change if the scheme changes. If you require a requote as a result of changes you have made to your scheme, a requote fee will be payable.
- (b) Upon completion, you can ask us to review your scheme to assess whether the size(s) and length(s) of New Water Main laid were the same as in the quote. If the diameter of the pipework was different, the surface type was different or the length of the pipework was at least three metres more or less than in the quote, we will recalculate the charge for the scheme using our fixed charges and invoice or credit you for the difference. Please note that the rates we use to recalculate the final charges will be the fixed charges applicable on the date we issue the quote if you pay in advance, or the fixed charges applicable at the date of completion of the New Water Main if you decide to pay in arrears. We charge for abortive and additional visits at published rates applying on the date the charges are incurred.
- 4.12.12 As detailed in 4.9, where Special Circumstances exist, we will carry out the design on payment of a percentage-based fee. We will carry out a site survey, design the New Water Main and liaise with third parties in order to provide you with an indicative quote for the New Water Main. The quote will not be a fixed price quote. On completion of the New Water Main, we will provide an account of the actual costs incurred and either credit or invoice you for the difference.

5 Water main diversions

5.1 Introduction

- 5.1.1 Developers with an interest in land that contains a public water main can request its alteration or removal to allow development work to progress. This process of altering or removing a water main is known as a Diversion, and the work is carried out in accordance with section 185 of the Water Industry Act 1991.
- 5.1.2 Please note that we are under no obligation under the Act to divert any water main or infrastructure which is in, under or over any road or to carry out a Diversion where it is unreasonable to require us to do so.
- 5.1.3 If you are planning significant work near our water mains and other assets as part of your development, it is important that you minimise the risk of damage. We will need to check that your development does not reduce capacity, limit repair or maintenance activities or inhibit the services we provide in any other way. No development or structure should be built within five metres of trunk mains or within three metres of distribution mains.
- 5.1.4 If you are planning work in London and intend developing above any section of the Thames Water Ring Main or Thames Lee Tunnel you will need to discuss this with us. Please note that we will not divert any section of these structures. If a water main to be diverted has a diameter above 355mm, you may also require an impact study, because not all mains can be diverted.
- 5.1.5 If your new infrastructure (for example, a gas pipe) will cross a water main, please contact us to discuss your plans. If there is insufficient distance between the two, we may require that an impact study is carried out and that you redesign your infrastructure or else divert our main.

5.2 Who can carry out the works?

- 5.2.1 Water main laying is Contestable. This means self-lay providers (SLPs) can carry out this work for you, unless we assess that it involves heightened risk to existing assets or could affect supplies to existing customers.
- 5.2.2 Making connections to the existing water main is Non-Contestable, which means it remains our responsibility. If we consider the works to be low risk, we may allow a suitably accredited SLP to carry them out. We will assess this on a case-by-case basis, and the decision is entirely at our discretion.
- 5.2.3 The decommissioning of the redundant water main is also Non-Contestable and remains our responsibility. We may allow a suitably accredited SLP to carry this work out. We will assess this on a case-by-case basis, and the decision is entirely at our discretion.
- 5.2.4 If you want an SLP to carry out the Diversion for you, you will have to enter into a Diversion Agreement with us to enable you to carry out the work on our behalf (see section 6.2.4).

5.3 How we calculate our charges

- 5.3.1 The charge for a Diversion for the purposes of your development is equal to the reasonable cost we incur in complying with our duty to carry out the Diversion. The charges we raise will exclude any cost we incur in making good existing deficiencies in our network or in creating additional capacity.
- 5.3.2 We will review each Diversion on completion to assess the actual costs we have incurred in carrying it out. The difference between our indicative quote and our reasonable actual costs incurred will be credited or invoiced to you as appropriate.
- 5.3.3 If you choose to carry out the excavation, backfilling and reinstatement work for a Diversion you must provide sufficient space for us to install our pipe and fittings and make sure that on completion of your works all chambers are dry and clear of debris and that all valves are operable. If you do not ensure all chambers are dry and clear of debris and that all valves are operable, we reserve the right to take action to clear any water and debris and to repair any damage done to our apparatus and we will recover any costs we incur in relation to this.
- 5.3.4 Your diversion works may require existing service connections to be diverted or re-laid, and we will include this in your quote.
- 5.3.5 Payment terms and security requirements can be found in section 15.

5.4 Indicative rates for estimating purposes only

- 5.4.1 We are not required to publish fixed charges for Diversion work. However, we are required to enable developers to calculate a reasonable estimate of the charge of the Diversion work. We will calculate the actual cost of your Diversion on a scheme-by-scheme basis, and this will vary from the indicative charges published here.
- 5.4.2 Our indicative charges for diverting mains are broken down into three elements:
- The charge for each connection to the existing water main including the installation of a valve and washout. This is shown as a single charge calculated with reference to the diameter of the new main (for example, 125mm), where we connect to the existing main (for example, in the road) and whether or not you carry out the excavation, backfill and reinstatement works.
 - A charge for laying pipe between the two connection points. This is shown as a per metre composite charge (rounded up to whole metres) calculated with reference to the size of the new main (for example, 125mm), where we lay our pipe (for example, in the road) and whether or not you carry out the excavation, backfill and reinstatement works.
 - The cost for decommissioning the redundant main, shown as a rate per metre (rounded up to whole metres).

- 5.4.3 Our indicative charges represent the typical cost for a straightforward scheme and should be used as an estimating tool only. We will not use them to calculate actual charges for Diversion work.
- 5.4.4 For re-laying or diverting service connections, you can use the published Service Connection charges section 3.7.1 on an indicative basis.
- 5.4.5 Indicative pipe laying and connection charges for a New Water Main in section 4.11.1 above and details of our ancillary charges are included in section 5.7 below.
- 5.4.6 The indicative charges for decommissioning water mains are:

Pipe diameter	Charge
Up to and including 300mm ^{NC}	£20 per meter
Greater than 300mm ^{NC}	£90 per meter

5.5 Estimating the charges for your scheme

- 5.5.1 In order to estimate your charge, you will need to know the parameters of your development, in particular:
- the size of water main** you are diverting
 - where the new main will connect** into the existing network
 - the likely route of the new main** between the two new connection points
 - whether there is contamination** present in the land in which the Diversion is to be built. If you are certain there is no risk of contamination you do not need to use the barrier pipe inclusive rates in your estimate; if not, you should do so
 - the nature of service connections** to be diverted or re-laid
 - the length of water main** to be decommissioned
 - whether the scheme has Special Circumstances.**
Any scheme involving any of the circumstances set out in section 14 are considered to have Special Circumstances.

5.6 Applications and quotes for Diversions

- 5.6.1 In order to arrange a Diversion, you will need to submit an application form to us. You can do this online or by downloading and sending us a form by email or post. You must pay an application fee for us to process your application and assess whether the scheme is complex.
- 5.6.2 For non-complex schemes, you will need to pay a fixed design fee (see ancillary charges in table 5.7.2). We will design the Diversion and provide you our indicative quote based on our estimated costs, including the cost of works, management and administration costs, Traffic Management costs, highway authority charges and costs associated with working in Third Party Land. The works typically involve design work, laying a new main, providing connections at each end into existing mains and decommissioning the redundant main.
- 5.6.3 For complex schemes, we charge a non-refundable, fixed price fee to produce a budget estimate and a further percentage-based fee to design the scheme and produce an indicative quote. If you do not proceed with the scheme, we will provide an account of our reasonable costs incurred and credit or invoice you for the difference compared to the application and design fee you paid.
- 5.6.4 The indicative quote is not a fixed price quote and will be valid for 180 calendar days. It is subject to change in the event that the requirements of the Diversion change. If a requote is required as a result of changes you have made to your development, a requote fee will be payable.

5.7 Table of ancillary charges

5.7.1 Please note that these charges are fixed and will be payable at the rate below even if your scheme does not progress and the Diversion is not required.

5.7.2 Ancillary charges (for non-complex schemes)

For ease of reference, any scheme involving any of the circumstances set out in section 14 is considered complex.

Item	Charge	What the charge covers
Application fee ^{NC}	£55 + VAT per application	The cost of processing the application including logging, clarifying the application details, creating the job reference, processing payment and creating an invoice.
Design fee ^C	£1,145 + VAT per application	The cost of considering the application, carrying out a site survey and liaising with third parties in order to design the diversion and produce an indicative quote.
Re-design fee ^{NC}	£285 + VAT per application	The cost of re-designing the scheme
Re-quote fee ^{NC}	£45 + VAT	The cost of updating any details and recalculating the indicative quote.

The above ancillary charges are subject to VAT at the standard rate.

C = Contestable, NC = Non-Contestable

All of the above costs are non-refundable, even if the scheme does not go ahead.

5.7.3 Ancillary charges (for complex schemes)

For ease of reference, any scheme involving any of the circumstances set out in section 14 is considered complex.

Item	Charge	What the charge covers
Application fee ^{NC}	£55 + VAT per application	The cost of processing the application including logging, clarifying the application details, creating the job reference, processing payment and creating an invoice.
Budget estimate fee ^{NC}	£1,300 + VAT per application	The cost of considering the application, carrying out a site survey and producing a high-level design in order to produce a budget estimate
Design fee ^C	15% of the estimated scheme value on account of the actual cost	The cost of carrying out surveys and liaising with third parties in order to produce a detailed design for the scheme and indicative quote.
Re-quote fee ^{NC}	£45 + VAT	The cost of updating any details and recalculating the quote.

The above ancillary charges are subject to VAT at the standard rate.

C = Contestable, NC = Non-Contestable

All of the above costs are non-refundable, even if the scheme does not go ahead.

6 Adoptions and self-lay

6.1 Introduction

6.1.1 An accredited self-lay provider (SLP) can carry out at least the Contestable work to connect your development to the water network, construct new Service Connections and New Water Mains or carry out a diversion. You may find it more convenient to use an accredited SLP rather than to ask us to carry out the work for you.

6.1.2 For service connections, anything up to 63mm is Contestable, over 63mm up to and including 180mm may be Contestable, depending on individual SLP accreditation, risk to customers, SLP performance in Thames Water's area. The decision on whether Service Connections over 63mm and up to 180mm can be undertaken by an SLP is made on a case-by-case basis, and the decision is made entirely at our discretion. Anything over 180mm is Non-Contestable. You can find more information about our self-lay connection criteria on our website at [Thameswaterdevelopers/self-lay](#)

6.1.3 For New Water Mains requisitions, all pipelaying is contestable. Main's connections up to 63mm are contestable. Main's connections over 63mm up to and including 180mm in certain circumstances may be able to be undertaken by SLPs. The decision on whether mains connections over 63mm and up to 180mm can be undertaken by an SLP is made on a case-by-case basis and the decision is made entirely at our discretion. Only connections that can be made under pressure and do not pose an unacceptable risk to existing customer supplies will be considered appropriate to be undertaken by an SLP. Connections to GRP and PVC mains will always be Non-Contestable. Any mains connection over 180mm is Non-Contestable.

You can find more information about our Self-Lay connection criteria on our website at [Thameswater/developers/self-lay](#)

6.1.4 If you want an SLP to carry out any of the work described in 6.1.1 you and your SLP will need to enter into a Self-Lay / Adoption agreement for new connections and new mains work or a Diversion Agreement for Diversion works with us before any work is carried out.

6.1.5 SLPs can carry out most works involved in laying of mains and services; the following elements are deemed not appropriate to be undertaken by SLPs.

- (a) design work for Network Reinforcement and/or Network Diversions
- (b) sizing pipes: we retain responsibility for this part of the design work
- (c) approving on-site water distribution systems designs (except where self-certification arrangements are in place)
- (d) Network Reinforcement works (i.e., to secure an adequate supply to the site) the construction of which heightens the risk of damage to existing water distribution systems or interrupting supplies to existing customers
- (e) mains connections that involve heightened risk to existing assets or could affect supplies to existing customers

(f) connection, commissioning and/or decommissioning of diverted network

(g) Service Connections on existing mains where we assess that the condition of the main or the material heightens the risk to existing assets or could affect supplies to existing customers

h) assessment of network risk and operating live network

6.1.6 Non-Contestable works are our responsibility. If we consider the works to be low risk, we may allow a suitably accredited SLP to carry them out. We will assess this on a case-by-case basis, and the decision is entirely at our discretion.

6.2 Our financial arrangements for self-lay schemes

6.2.1 The financial arrangements for self-lay schemes vary according to the type of work being undertaken.

6.2.2 Service Connections

(a) If you are arranging for an SLP to construct your connection, you will need to make an application for the design of the connection in order for us to assess the suitability of the connection, risk assess the connection work to ensure the work is not deemed to be high risk, and to provide you with a quote for the meters and Infrastructure Charges which may be applicable. Please refer to section 3 for information on new connections.

6.2.3 New Water Mains

(a) You may be arranging for an SLP to design your schemes or construct some or all of the new main, including the source of water connection to our existing assets if we have agreed to this.

(b) The works we carry out typically include the source of water connection to our water main and main laying outside of your development site (off-site works). Our charges for these works will be the same as those that apply for New Water Mains as detailed in section 4.

(c) You will need to pay for any work we are carrying out before we schedule any works.

6.2.4 Water main diversions

(a) You may want to arrange for an SLP to construct some or all of the New Water Main, including the source of water connections and decommissioning of the redundant main. If we have agreed to this, you and your SLP must enter into a Diversion Agreement with us.

(b) If we carry out any works, such as the source of water connection, main laying outside of your development site (off-site works) and decommissioning of the redundant main, we will calculate our charges in the same way as we calculate those for Diversions. As detailed in section 5.3, we will provide an indicative quote for our works, which will be an estimate of the cost of the works that need to be carried out. You (or your SLP) will need to pay the charges to us in advance or else provide security in accordance with section 11 before we schedule the works. On completion of our works, we will review our actual costs as set out in 5.3.2.

(c) For complex schemes, fees for budget estimates and for design will be payable as detailed in 5.7.2.

6.2.5 Additional services

- (a) As part of a self-lay scheme, we are sometimes asked to carry out additional services such as sampling. Although these are not services, we are obliged to provide, we have published charges for the services that we offer below.

6.2.6 Terms of payment and security

- (a) If you carry out Non-Contestable works by agreement with us, you will need to provide an unlimited indemnity to us for any potential losses, damages and claims that may occur as a result of your works. As an alternative, we will consider any reasonable request to provide security to cover these risks.
- (b) We do not require security in respect of Contestable works you carry out.
- (c) We will send you an invoice for any charges associated with Self-Lay/Adoption Agreements and Diversion Agreements. Any queries or disputes must be raised within seven calendar days of the invoice date. Payment of undisputed charges is due within 14 calendar days of the invoice date.

6.3 Our charges for self-lay water schemes

6.3.1 Service Connections

- (a) We will charge for any service connections works on the same basis as set out in section 3.
- (b) If you choose to obtain a comparative quote for your service connection, application and design fees will be payable as detailed in 3.7.2
- (c) If you require us to carry out Water Regulations inspections, fees will be payable as detailed in 6.3.6.
- (d) Water meters

Meter size and type	Initial Meter Charge	Replacement Meter Charge
15mm concentric ^{NC}	£170	£50
15mm in line ^{NC}	£180	£70
20mm in line ^{NC}	£210	£90
25mm in line ^{NC}	£260	£140
30mm in line ^{NC}	£280	£160
40mm in line ^{NC}	£320	£200
50mm in line ^{NC}	£390	£280
80mm in line ^{NC}	£470	£350
100mm in line ^{NC}	£520	£410
150mm in line ^{NC}	£720	£610

C = Contestable, NC = Non-Contestable

The costs in the table above include the cost of the meter, the fittings for an in-line installation and the administration costs of proving and setting up the account. Meters will be ordered approximately four to six weeks before installation is required.

Application fees, design fees and charges for meters are subject to VAT at the standard rate.

Should you wish to order replacement meters we will charge you for the cost of the meter and administration charge

6.3.2 New Water Mains

- (a) We will charge for our works on the same basis as set out in section 4. We will use fixed charges where no Special Circumstances exist or price the works on a combination of fixed charges and actual costs incurred if Special Circumstances exist. Please refer to our methods for calculating charges and our charging tables in sections 4.5, 4.9 and 4.11 for details about our charges for water mains work.
- (b) If you require us to make the connection between your new main and our new main (also known as the piece through or the back-to-back) we will charge you a fee to cover the cost of attending the site and making the connection as per table 6.3.6.
- (c) Application fees will be payable for water mains scheme featuring Special Circumstances, as detailed in section 4.9.2.
- (d) If you require us to carry out sampling, fees for the visit and the sampling analysis are as per table 6.3.6.

6.3.3 Diversions

- (a) We will charge for our works using the same method as set out in 5.3 and 5.6.
 - (b) You will also need to pay a legal fee for negotiating the Diversion Agreement, which could be up to £5,000.
 - (c) Sampling £120 + VAT per visit plus £70 + VAT per sample analysis.
- 6.3.4 If you arrange for a New Water Main to be designed by an accredited designer, we will charge you for reviewing and agreeing the design based as per the checking fees outlined in the table in section 4.11.4.
- 6.3.5 If you require project management or technical support for your self-lay scheme, we will charge you based on hourly rates for the type of person required. This is an optional service we may be able to provide subject to agreement.

6.3.6 Table of ancillary charges

Item	Charge	What the charge covers
Water Regulations Inspection ^c	£135 + VAT per visit	One site visit to undertake Water Regulations Inspection
Sampling visit ^c	£135 + VAT per visit	One site visit to undertake water sample post-chlorination
Sampling analysis ^c	£80 + VAT per analysis	Analysis of a water sample in an accredited laboratory
Piece through (back to back) ^c	£1,100 per connection	The cost of attending site and making the connection

The above ancillary charges are subject to VAT at the standard rate.

C = Contestable, NC = Non-Contestable

Wastewater charging arrangements



7 Waste connections and new lateral drains

7.1 Introduction

- 7.1.1 A lateral drain (shown in yellow in Diagram 2) is the part of a drain located outside the boundary of a single building or buildings within the same boundary that connects the private drain to the public sewer.
- 7.1.2 Pipework that connects the public sewer to multiple properties (shown in orange in Diagram 2) is classed as a sewer. For information on our charges for constructing New Sewers, please see section 8. Note sewers constructed after July 2011 are likely to be private unless they are shown on our public sewer records.
- 7.1.3 We do not construct pipework on your land that serves only your building(s) (shown in blue). This is your responsibility.
- 7.1.4 Under section 107 of the Water Industry Act 1991 we also have the right to make the connection from your lateral drain or sewer to the public sewer instead of you. We call this a Waste Connection.




Diagram 2

7.2 Who can carry out the works?

- 7.2.1 We expect you to construct your own lateral drains for your development or engage a competent contractor to carry this out on your behalf. A lateral drain includes the connection to the public sewer.
- 7.2.2 If you arrange the construction of your lateral drain, you must apply for consent to connect under section 106 of the Water Industry Act 1991 before making any communication with the public sewer. For details on how to do this, see [Thameswater/developers/how-to-connect-to-a-sewer](#).
- 7.2.3 Under section 106(8) of the Water Industry Act 1991 we have an absolute right to refuse connections in Greater London to any public sewer that is used for the general reception of sewage from other public sewers and is not substantially used for the reception of sewage from private sewers and drains. We call these trunk sewers.
- 7.2.4 If we elect to make the Waste Connection, we will notify you of our intention to do so within 14 calendar days of receiving your application for a consent to connect. In practice, we only exercise this right when your connection is to a trunk or strategic sewer, or the connection works have health and safety implications for our workforce. We only exercise this power after we have exhausted all alternative and low-risk options for connecting.
- 7.2.5 In order for us to proceed with any new Lateral Drain or Waste Connection, we will charge you an application fee covering our administration costs, a topographical survey, utility searches and manhole surveys. This will enable us to confirm the point of connection to the public sewer and the route from your boundary to that point of connection, which in turn confirms what we will charge you for making the connection.
- 7.2.6 Where we exercise the right to make a Waste Connection between your lateral drain and the public sewer, you may carry out the associated lateral drain laying or ask us to do this on your behalf. Where we exercise the right to make a Waste Connection between your sewer and the public sewer, we will only make the connection and will not carry out any associated sewer laying. If you want us to provide the whole of the new sewer you should apply, and we will charge you in accordance with section 8.
- 7.2.7 If you want us to adopt any lateral drain that you build it must be constructed to a standard that we accept. For more information on adoptions please refer to section 10.

7.3 How we calculate our charges if we provide the new Lateral Drain or Waste Connection

- 7.3.1 Our charges for the provision of a new Lateral Drain are broken down into four elements:
- (a) A non-refundable application fee in line with section 7.2.5 above and as set out in the table at 7.7.2
 - (b) A fixed charge for the connection to the public sewer. This is shown as a single charge calculated with reference to the depth (for example, up to five metres) of the connection (see table in 7.7.1)
 - (c) A fixed charge for laying additional pipe from the end of the connection to the sewer up to your property boundary. This is shown as a per metre charge (rounded up to whole metres) calculated with reference to the diameter of the connection (for example, 150mm) (see table at 7.7.1)
 - (d) Any other ancillary charges (see table at 7.7.2)
- 7.3.2 Our charges for Waste Connections are broken down into three elements:
- (a) A non-refundable application fee in line with section 7.2.5 above and as set out in the table at 7.7.2
 - (b) A fixed charge for the connection to the public sewer. This is shown as a single charge calculated with reference to the depth (for example, up to five metres) of the connection (see table at 7.7.1)
 - (c) Ancillary charges (see table at 7.7.2)

7.4 Costs included in our fixed charges

- 7.4.1 Our fixed charges include the cost of:
- (a) A percentage uplift for Traffic Management and highway authority charges. We have set the percentages at a level that aims to recover the overall cost that we incur. We will make no further credits or charges in respect of Traffic Management or highway authority charges for schemes charged using our fixed rates, unless associated with abortive charges. For more information on what constitutes Traffic Management please see Appendix B.
 - (b) Crossing or accessing Third Party Land, in which case we will have to agree compensation with the third party to cover any damage or disruption that may result. We may incur additional costs in dealing with the third party and may have to plan our works differently, including revising our timescales. We have set our fixed charges at a level that recovers the overall cost of working in Third Party Land, so we will make no further credits or charges in respect of this.
 - (c) Site visits: Our quote includes one enabling site visit and one additional field engineer visit. We will charge you for any additional visits you require.
- 7.4.2 Our fixed charges for Lateral Drains and Waste Connections are:
- (a) based on the typical cost we expect to incur to carry

out each of the specified elements of work. We have calculated them based on analysis of the cost of recent work where possible, otherwise we have estimated them based on what we think the typical cost might be. We will review and update the charges annually.

- (b) limited to the cost of connecting to the nearest reasonably practicable point on the network where the sewer is at least the same diameter as your connection. There will be no additional charge if we need to find an alternative point of connection for capacity reasons or if we need to carry out additional works beyond the point of connection in order to provide capacity for your development.

7.5 Ancillary charges

- 7.5.1 Our ancillary charges include any abortive costs caused by you or your site not being ready when we attend on an agreed day to carry out our works, or where you cancel an agreed appointment. This includes situations where we consider the site to be unsafe, for example due to insufficient working space, proximity to scaffolding, existence of trip hazards or movement of plant.
- (a) If you cancel an agreed appointment at any time or your site is not ready, we will recover from you all additional costs we have to pay to the highway authority to re-book any permits, suspensions or closures, plus a 30% administrative charge plus
 - (b) If we receive less than two working days' notice of cancellation or your site is not ready, we will invoice you an abortive charge to cover remobilisation and lost time, including associated planning, enabling, plant and supervision
- 7.5.2 If you require a requote which can be prepared using the survey information we obtained for your original application, we will charge you a requote fee. If we have to carry out new surveys, you must submit a new application and pay the application fee.

7.6 Estimating the charges for your scheme

- 7.6.1 In order to estimate your charge, you will need to know the parameters of your development, in particular:
- (a) the size of Waste Connection or New Lateral Drain you require (based on pipe diameter)
 - (b) the depth of the public sewer you are connecting to
 - (c) the length of pipework you require for your New Lateral Drain, for example the distance to the existing public sewer you are connecting to. If you need help in identifying where the existing sewers are located, we can help you with this. You can view our maps for free at the office specified in the link below or you can get this information from a property search provider. For more information see [Thameswater/developers/where-our-pipes-are](#)
 - (d) the likely route of the New Lateral Drain from the point of connection into your development site

7.7 Our charges for Waste Connections and New Lateral Drains

7.7.1 Table of fixed connection and pipe laying charges

Waste Connections and Lateral Drains – Connection charges		Depth		
		Less than 5 metres	5 metres to less than 10 metres	10 metres or over
Connection charge ¹	Per connection	£18,210	£46,150	£309,380

1 = Connection to a trunk sewer is Non-Contestable; connection to a public sewer is Contestable

Waste Connections and Lateral Drains – Pipe laying charges		Internal pipe diameter		
		100/150mm	225/250mm	300mm
Pipelaying charge	Per metre	£3,610	£4,670	£6,040

The above charges are subject to VAT at the applicable rate

7.7.2 Table of ancillary charges

Item		Charge	What the charge covers
Application fee ^{NC}	Connection to trunk sewer	£10,800 per application	The cost of processing the application including logging, clarifying the application details, creating the job reference, processing payment and creating an invoice. This includes considering the application, carrying out a site survey and producing a high-level design and budget estimate, as well as carrying out surveys and liaising with third parties in order to produce a detailed design for the scheme and indicative quote. A topographical survey, utility searches and manhole surveys are also carried out. These are more expensive than for a public sewer because of complexity, average depth and the number of manhole surveys required.
	Connection to other public sewer	£3,800 per application	The cost of processing the application including logging, clarifying the application details, creating the job reference, processing payment and creating an invoice. This includes considering the application, carrying out a site survey and producing a high-level design and budget estimate, as well as carrying out surveys and liaising with third parties in order to produce a detailed design for the scheme and indicative quote. A topographical survey, utility searches and manhole surveys are also carried out.
Requote fee ^{NC}	Original surveys remain valid	£45 + VAT per quote	The cost of updating any details and recalculating the indicative quote
	New surveys needed	Application fee as above	The same costs as the application fee
Abortive visit fees ^{NC}		£260 + VAT per visit plus any additional costs we incur from the highway authority plus an administration fee of 30% if we have commenced construction and you wish to cancel work, we will also charge you the actual costs of any work incurred	The cost of remobilisation and lost time, including associated planning, enabling, plant and supervision. If you cancel work after construction has commenced we will also charge you for any actual costs incurred for the work that has been carried out to that point, and to backfill and reinstate any excavations made.
	Remobilisation charge without welfare facilities	Plus £1,920 per visit or	
	Remobilisation charge with welfare facilities	£4,250 per visit	
		Plus any additional costs we incur from the highway authority plus an administration fee of 30% as detailed in 4.7.1	
	Additional visit charges are subject to VAT at the applicable rate		
Additional visit charge ^{NC}		£185 + VAT per visit	The time and travel costs of visiting the site
	Additional visit charges are subject to VAT at the same rate as the works		

C = Contestable, NC = Non-Contestable

7.8 Applications and quotes for Waste Connections and New Lateral Drains

- 7.8.1 As we only carry out Waste Connections in response to applications for consent to connect under section 106 of the Water Industry Act 1991, there is no specific application process. We will discuss the requirements with you and quote for the works required. Although we expect you to construct your own lateral drain (as detailed in 7.2.1), if you want us to construct a lateral drain you need to complete a separate application form. For details on how to do this, see [Thameswater/developers/requisitioning-a-sewer](#).
- 7.8.2 We will carry out a site survey and liaise with third parties in order to provide you with a quote for the works. We will base the quote on our fixed charges. The quote is subject to change in the event that the scheme changes. If a requote is required as a result of changes you have made to your scheme, a requote or new application fee will be payable.
- 7.8.3 The quote we produce is a fixed charge, unless Special Circumstances apply, which will not be adjusted upon completion, so please ensure you have checked the detail before you accept the quote. However, if you request a change to the design once we are on site, you will be asked to sign a variation order to confirm that you will pay the cost of the charges based on our fixed price charges applicable at the date of the works, or we will cancel the job and ask you to obtain a requote. Abortive charges and charges for additional site visits are not included in our quote and will increase the cost of your work where applicable.
- 7.8.4 Our quote will be valid for 180 calendar days. In the event that you require a requote, a requote or new application fee will be payable. Once you've accepted and paid for your quote, the phase of sewer laying construction must have commenced within 18 months of the quotation date. If it is not, you will require a requote. A requote fee will be payable, and your re-quote will be calculated using charges applicable at the time of the requote.
- 7.8.5 If you or your contractor are making a connection to the public sewer, you must apply to us for consent to connect under section 106 of the Water Industry Act 1991.
- 7.8.6 Payment terms and security requirements can be found in section 15.

8 New sewers (sewer requisitions)

8.1 Introduction

8.1.1 A public sewer (shown on our map of public sewers and in orange in Diagram 2 in 7.1 and noted in 7.1.2) carries wastewater from multiple properties and can be on private or public land. If there is no public sewer near to your property or your site has no means to connect your sewer or lateral drain due to third party land, you can requisition (formally request) a public sewer or lateral drain under Section 98-101 of the Water Industry Act 1991. As soon as the requisition work is completed by Thames Water, the pipe works will also immediately vest in Thames Water.

8.2 Who can carry out the works?

8.2.1 We expect you to construct sewers for your own development or engage a competent contractor to carry out the works on your behalf. In principle, all sewer works can be carried out by you or your contractor subject to meeting required standards.

8.2.2 You will also make your own connections to the public sewer network unless we exercise our right to make the connection under section 107 of the Water Industry Act 1991 (please see section 7). If you arrange to construct your own sewers, you must apply for consent to connect under section 106 of the Act before making any communication with the public sewer. For details on how to do this, see [Thameswater/developers/how-to-connect-to-a-sewer](#).

8.2.3 Under section 106(8) of the Water Industry Act 1991 we have an absolute right to refuse connections in Greater London to any public sewer that is used for the general reception of sewage from other public sewers and is not substantially used for the reception of sewage from private sewers and drains. We call these trunk sewers.

8.2.4 The construction of your sewers must be to a standard we accept if you want us to adopt them. For more information about adoptions please see section 10.

8.3 How we calculate our charges

8.3.1 We will price our charges for New Sewers on application and you will pay the actual costs incurred by us in carrying out the work

8.3.2 The price on application is based on our detailed design, which identifies the connection point into the existing network, the sizes, lengths and route of the new sewer, the required fittings and any potential Traffic Management requirements.

8.3.3 We will base the estimate we issue you on the estimated cost of these plus the required plant, labour and materials.

8.3.4 We will base the final charge to you on the actual cost of all these items plus any additional costs we may have incurred due to working in or near Third Party Land.

8.4 Indicative rates for estimating

8.4.1 In order to estimate your charge, you will need to know the parameters of your development, in particular:

(a) the size of New Sewer you require (based on pipe diameter)

(b) the length of New Sewer you require, for example the distance to the existing public sewer to connect to and in how many phases the pipework will be laid. If you need help in identifying where the existing sewers are located, we can help you with this, you can view our maps for free at our specified office or you can get information from a property search provider. For more information see [Thameswater/developers/where-our-pipes-are](#)

(c) the likely route of the New Sewer from the point of connection into your development site

(d) the number of properties that will be connected to the waste network as part of the scheme

8.4.2 We charge a non-refundable, fixed price application fee to produce a budget estimate and a further percentage-based fee to design the scheme and produce a detailed cost estimate. If you do not proceed with the scheme, we will provide an account of the costs incurred and credit or invoice you for the difference compared to the design fee you paid.

8.4.3 Our detailed cost estimate is not a fixed price quote and will be valid for 180 calendar days. It is subject to change in the event that the requirements of the scheme change. If you require a requote as a result of changes you have made to your development, a requote fee will be payable.

8.4.4 The indicative rates for pipelaying and connection charges are shown in 8.6.1. These indicative rates represent the cost of a straightforward scheme and should be used as an estimating tool only, and will not be used to produce budget estimates or calculate actual charges for sewer work

8.4.5 Details of our ancillary charges are shown in 8.6.2.

8.5 Network Reinforcement

- 8.5.1 We will limit the charge for a New Sewer to the cost of connecting to the nearest reasonably practicable point on the network where the existing sewer is at least the same diameter as the New Sewer you require to provide the capacity for your development.
- 8.5.2 We may sometimes need to find an alternative point of connection for capacity reasons, resulting in a longer length of New Sewer. If so, we will not charge you for the additional length of New Sewer although the cost will be considered to be Network Reinforcement and we recover this cost through Infrastructure Charges.
- 8.5.3 We may also sometimes increase the size of the New Sewer in order to provide future capacity for other developments in the area. If so, we will not charge you in full for the upsized New Sewer. Instead, we will charge you based on the proportion of the capacity of the New Sewer that is actually required for your development. We will calculate this based on anticipated flows for your development compared to the design capacity of the New Sewer.
- 8.5.4 Sometimes the installation of a New Sewer results in a requirement to install additional capacity in our network downstream from the point of connection to make sure there is sufficient flow and pressure for your development. For example, we may need to provide additional sewers or pumps. This is considered to be Network Reinforcement and is excluded from the charge for your New Sewer, but we will recover it through our Infrastructure Charges.

8.6 Our indicative rates for New Sewers

- 8.6.1 Tables of connection and pipe laying charges (where no Special Circumstances exist)

The below charges are subject to VAT at the applicable rate.

Sewer Requisitions and Diversions Internal pipe diameter	Road			Private road or footpath			Unmade ground		
	150mm	225mm	300mm	150mm	225mm	300mm	150mm	225mm	300mm
Connection charge per connection ^c	£25,680			£25,060			£20,410		
Pipelaying charge per metre ^c	£1,570	£1,760	£1,960	£1,000	£1,170	£1,130	£710	£830	£930

8.6.2 Table of ancillary charges

Item	Charge	What the charge covers
Application fee ^{NC}	£1,300 + VAT for a budget estimate	The cost of processing the application including logging, clarifying the application details, creating the job reference, processing payment and creating an invoice. It also includes a high-level design and production of a budget estimate.
Design fee ^{NC}	15% of the estimated scheme value on account of the actual cost	Carrying out surveys and liaising with third parties in order to produce a detailed design for the scheme and detailed estimate.
Requote fee ^{NC}	£45 + VAT	The cost of updating any details and recalculating the detailed estimate.

C = Contestable, NC = Non-Contestable

The above ancillary charges are subject to VAT at the standard rate.

8.7 Applications and quotes for New Sewers

- 8.7.1 In order to obtain a New Sewer, you will need to submit an application form to us. Please read this section in conjunction with section 15 (Payment Terms and Security).
- 8.7.2 If you would like an estimate of the charges for a New Sewer you can apply for a budget estimate. A budget estimate is not capable of acceptance and is provided without carrying out a site visit, doing a detailed design or discussing the scheme with the relevant highway authority.
- 8.7.3 Our budget estimates are valid for 180 calendar days.
- 8.7.4 If you wish to progress after receiving a budget estimate, we will carry out the design on payment of a percentage-based fee. For this we will carry out a site survey, design the New Sewer work and liaise with third parties in order to provide you with a detailed estimate for the New Sewer. The detailed estimate will not be a fixed price quote.
- 8.7.5 On completion of the New Sewer, we will provide an account of the actual costs incurred and either credit or invoice you for the difference.
- 8.7.6 Payment terms and security requirements can be found in section 15.

9 Sewer diversions

9.1 Introduction

- 9.1.1 Developers with an interest in land that contains a public sewer can request the alteration of the sewer to allow development work to progress. This process of altering (and removing the diverted sewer) is known as a Diversion and the work is carried out in accordance with section 185 of the Water Industry Act 1991.
- 9.1.2 Please note that we are under no obligation under the Act to divert any sewers which are in, under or over any road or where it is unreasonable to do so.
- 9.1.3 If you are planning significant work near our sewers or other assets as part of your development, it is important that you minimise the risk of damage. We will need to check that your development does not reduce capacity, limit repair or maintenance activities or inhibit the services we provide in any other way.
- 9.1.4 If you are building within three metres of a Public Sewer, or within one metre of a public Lateral Drain, you need our approval before work begins. There are some cases in which we won't allow you to build over a sewer – these include rising mains, manholes and strategic sewers. In these cases, you will need to modify your design or arrange for our sewer to be diverted. You can apply to build within three metres of a public sewer or lateral drain under our 'building over a sewer' process.
- 9.1.5 If you are planning work in London and intend developing above any section of the Thames Lee Tunnel or the Thames Water Ring Main, you will need to discuss this with us. Please note that we will not divert any section of these structures. If a sewer to be diverted has an internal diameter above 300mm, you may also require an impact study, because not all sewers can be diverted.
- 9.1.6 If your new infrastructure (for example, a gas pipe) will cross a sewer, please contact us to discuss your plans. If there is insufficient distance between the two, we may require that an impact study is carried out and that you redesign your infrastructure or else divert our sewer.

9.2 Who can carry out the works?

- 9.2.1 In principle all sewer diversion works, and the decommissioning of redundant pipework can be carried out by you or your contractor subject to meeting required standards.
- 9.2.2 If you want to divert a public sewer with an internal diameter up to 160mm and which only serves domestic properties, we call this a minor diversion, and it is typically undertaken as part of domestic extensions. You will need to apply to us, pay an application fee and provide security until the works are completed to our satisfaction.
- 9.2.3 If you want to divert a public sewer which is longer than 20 metres or has an internal diameter above 160mm or any sewer which does not serve domestic properties exclusively and the sewer is not a strategic sewer, you can apply to enter into a hybrid adoption and abandonment agreement under sections 104 and 116 of the Water Industry Act 1991. You will need to apply to us and pay agreement fees.
- 9.2.4 The adoption element of your agreement with us will be subject to the charges set out in section 10. You will need to provide us with a cash security equal to 100% of our estimate of the cost of the works until the works are completed to our satisfaction.
- 9.2.5 If you want to carry out other Diversions, you will have to pay an application fee for us to approve your proposals and provide you with an indicative quote for us to monitor your works. You will need to enter into a Diversion Agreement with us to enable you to carry out the work on our behalf. You will be liable to legal costs and will have to provide security equivalent to 100% of our estimate of the cost of the works until the works are completed to our satisfaction.
- 9.2.6 For any work that you ask us to carry out we will charge you in accordance with the following sections on Diversion charges. Any additional services you ask us for such as project management and technical support will be by agreement. We will invoice you for any charges payable. Any queries or disputes must be raised within seven calendar days of the invoice date. Payment of undisputed charges is due within 14 calendar days of the invoice date.

9.3 How we calculate our charges

- 9.3.1 The charge you will pay for us to carry out a Diversion for the purpose of your development is equal to the reasonable cost we incur in complying with our duty under section 185 of the Water Industry Act 1991. The charges we raise exclude any cost we incur in making good existing deficiencies or in creating additional capacity.
- 9.3.2 In order to arrange for us to carry out a Diversion you will need to submit an application form to us. We will design the Diversion and provide you our indicative quote based on our estimated costs, including the cost of works, management and administration costs, Traffic Management costs, highway authority charges and costs associated with working in third party Land. The works typically involve laying a new sewer, providing connections at each end into existing sewers and decommissioning the redundant sewer. For rising mains, we may also have to relocate pumps.
- 9.3.3 We charge a non-refundable, fixed price application fee to produce a budget estimate and a further percentage based fee to design the scheme and produce an indicative quote. If you do not proceed with the scheme, we will provide an account of our reasonable costs incurred and credit or invoice you for the difference compared to the application and design fee you paid.
- 9.3.4 The indicative quote is an estimate only and not a fixed price quote and will be valid for 180 calendar days. The quote is subject to change if the requirements of the Diversion changes. If a requote is required as a result of changes you have made to your development, a requote fee will be payable.
- 9.3.5 We will review each Diversion when we have completed the works to assess the actual costs that we have incurred in carrying out the Diversion. The difference between our quote and our reasonable actual costs incurred will be credited or invoiced to you as appropriate.
- 9.3.6 Your diversion works may require existing connections to be diverted or re-laid, which we will include in your quote.
- 9.3.7 Payment terms and security requirements can be found in section 15.

9.4 Indicative rates for estimating

- 9.4.1 We are not required to publish fixed charges for Diversion work. However, we are required to enable developers to calculate a reasonable estimate of the charge of the Diversion work. These rates are for estimating only and will not be used for charging. These can be found in table 8.6.1. They are based on the average costs of straightforward diversions and do not take account of issues that may arise on complex schemes. We will calculate the actual cost of your Diversion on a scheme-by-scheme basis, and these will vary from the indicative charges published here.
- 9.4.2 In order to estimate your charge, you will need to know the parameters of your development, in particular:
- the size of sewer you are diverting
 - where the new sewer will connect** in to the existing network
 - the likely route of the new sewer** between the two new connection points (which needs to be hydraulically viable)
 - the length of sewer** to be decommissioned
- 9.4.3 Our indicative charges for the diversion of a sewer are broken down into three elements:
- The charge for each connection to the existing sewer, represented as a single charge calculated with reference to where we connect to the existing sewer (for example, in the road)
 - A charge for laying pipe between the two connection points. This is shown as a per metre composite charge (rounded up to whole metres) calculated with reference to where we lay our pipe (for example, in the road)
 - The cost for decommissioning the redundant sewer, shown as a rate per metre (rounded up to whole metres)
- 9.4.4 Our indicative charges represent the typical cost for a straightforward scheme and should be used as an estimating tool only and will not be used to calculate actual charges for Diversion work.
- 9.4.5 For complex diversion schemes, hydraulic modelling may be required. If applicable, fees can be found in table 9.6.1.
- 9.4.6 For re-laying or diverting connections you can use the published lateral drain or indicative new sewer charges (as appropriate) – see section 7.7.
- 9.4.7 The indicative rates for pipe laying and connection charges are the same as for new sewers in 8.6 above and details of our ancillary charges are included in the table below.
- 9.4.8 The indicative charges for decommissioning sewers are:

Pipe diameter	Charge
Up to and including 300mm	£20 per metre
Greater than 300mm	£90 per metre

9.5 Applications and quotes for Sewer Diversions

9.5.1 In order to arrange for a Sewer Diversion, you will need to submit an application form to us. You can do this online or by downloading and sending us a form by email or post.

9.5.2 We will assess which type of diversion is required and advise the relevant application fees and security payments.

9.5.3 If you are carrying out a minor diversion you will have to pay an application fee, which is non-refundable even if your scheme does not progress. You will also be required to pay a fixed security deposit that will be returned to you once the works are completed to our satisfaction. See table of ancillary charges 9.6.

9.5.4 If you are carrying out a non-strategic sewer diversion you will have to pay for the adoption and abandonment elements of the diversion agreement. These fees are non-refundable even if your scheme does not progress. See table of ancillary charges 9.6

9.5.5 If you are carrying out other Diversions or wish us to carry out the work, you will have to pay an application fee, which is non-refundable even if your scheme does not progress. See table of ancillary charges 9.6.

9.6 Table of ancillary charges

9.6.1 Please note that these charges are fixed.

Item		Charge	What the charge covers
Minor Diversion (self-lay)	Application fee ^{NC}	£690 per application	Logging and reviewing proposals, technically assessing foundation and building proximity design and method, impact on our network and issuing formal response (consent or refusal). Registering build over on our public records. Undertaking and assessing pre-and post-construction CCTV surveys.
	Security Deposit ^{NC}	£2,000 per application	
Non-Strategic Sewer Diversion (self-lay)	Hybrid Adoption ^{NC}	£1,000 per agreement	Processed in line with a section 104 adoption application
	Abandonment Agreement ^{NC}	£305 per agreement	The legal fees for preparing relevant legal documents
	Security Deposit ^{NC}	100% of our total cost estimate	
Other Diversions (self-lay)	Application fee ^{NC}	£1,400 + VAT per application for an indicative quote to monitor works	The cost of processing the application including logging, clarifying the application details, creating the job reference, processing payment and creating an invoice. It also includes a high-level design and production of an indicative quote.
	Legal Agreement ^{NC}	Up to £5,000	The legal fees for preparing relevant legal documents
	Security Deposit ^{NC}	100% of indicative quote	
Other Diversions (Thames Water to do the work)	Application fee ^{NC}	£1,300 + VAT per application for a budget estimate	The cost of updating any details and recalculating the indicative quote
	Design fee ^C	15% of the estimated scheme value on account of the actual cost	The same costs as the application fee
	Modelling assessment ^C	£15,000 + VAT on account of the actual cost	
	Legal Agreement ^{NC}	Up to £5,000	The legal fees for preparing relevant legal documents
	Requote fee ^{NC}	£45 + VAT per application	The cost of updating any details and recalculating the indicative quote

C = Contestable, NC = Non-Contestable

10 Adoptions

10.1 Introduction

- 10.1.1 In principle you can carry out all sewer laying and connection work, except where we exercise our rights under section 107 of the Water Industry Act 1991 to make the connection (please see section 7).
- 10.1.2 Legislation covering the adoption of newly constructed sewers, drains and sewage disposal works is contained in section 104 of the Act, which refers to Adoption Agreements. If a newly constructed sewer or drain is constructed in accordance with an Adoption Agreement under section 104 it will, subject to the terms of the Adoption Agreement, become vested in us as a public sewer, and will be our responsibility to maintain.
- 10.1.3 We accept the standards that are described in the latest edition of the Water UK-published Design and Construction Guide, in accordance with Ofwat's Code for Adoptions Sewerage. This guide is free to download on Water UK's website.
- 10.1.4 This section does not apply to the adoption of existing infrastructure under section 102 of the Act.

10.2 Charges for a sewer, drain and sewage disposal work adoption

- 10.2.1 When you apply to have a sewer or drain adopted under section 104 of the Water Industry Act 1991 you must complete and submit the application form together with copies of all relevant plans and a non-refundable fee for reviewing your application.
- 10.2.2 A separate application form for any connections to the public sewerage system (as required by section 106 of the Act) together with the appropriate consent fee should also be submitted following our consent process. For more information see [Thameswater/developers/how-to-connect-to-a-sewer](#).
- 10.2.3 Where a consent to discharge from the Environment Agency, the Canal & River Trust, Land Drainage Authority or Network Rail is required, you must not agree to any conditions without prior approval from us. If you agree any such conditions, we may not be able to adopt the sewer or drain or may have to ask you to pay an amount to us that covers the cost of meeting any commitments made.

- 10.2.4 Assuming your proposals are acceptable, we will write to you confirming this. We will set out our estimate of the cost of your scheme and our fee which will be a percentage of our estimate of the construction cost, which covers the processing, assessment and inspection of the works. See ancillary charges table 10.3.1.
- 10.2.5 In order to progress the adoption, you must enter into an Adoption Agreement with us subject to providing a security deposit. This security can either be a legal security bond provided by a bank or the NHBC or a cash deposit. See ancillary charges table 10.3.1.
- 10.2.6 The security is released on expiry of the 12-month maintenance period that follows the issue of the provisional certificate of completion of the sewer, assuming any remedial work has been carried out. We will deduct from the security deposit any reasonable costs we incur in making good any notified defects. If the costs exceed the deposit, we will invoice you for the excess.
- 10.2.7 A legal fee is also payable on signing of the Adoption Agreement. If an easement is required, an additional easement fee is payable. See ancillary charges table 10.3.
- 10.2.8 As part of a self-lay waste scheme, we are sometimes asked to provide additional services such as project management or technical support. Assuming we agree to provide these services, we will assess them on a case-by-case basis and charge based on an hourly or daily rate to be agreed.
- 10.2.9 Where the Adoption Agreement relates to lateral drains you will need to install a chamber at the boundary of the property for maintenance purposes. The materials used for the connection must be to the standard set out in 10.1.3.
- 10.2.10 We will send you an invoice for any charges associated with Adoption Agreements. Any queries or disputes must be raised within seven calendar days of the invoice date. Payment of undisputed charges is due within 14 calendar days of the invoice date.

10.3 Table of ancillary charges

Item	Charge	What the charge covers
Application fee ^{NC}	£1,000 per application	The cost of processing the application, including logging, clarifying the application details, a full technical assessment of your design proposals and advice or response to any required design alterations.
Project Management & inspection fee ^{NC}	1.4% of the estimate of the construction cost using our indicative rates published in table 8.6.1	The cost of arranging and undertaking all onsite inspections of the works, provision of inspection reports, reviewing 'as built' and CCTV surveys and issuing of all certificates.
Security deposit ^{NC}	Greater of £5,000 or 10% of the construction cost estimate	Any reasonable costs we could incur in making good any notified defects. This deposit is released on expiry of the 12-month maintenance period.
Legal fee ^{NC}	£850	The legal costs of arranging the adoption agreement.
Easement fee ^{NC}	£750	The legal costs of arranging and registering a formal Deed of Easement to secure appropriate access rights to our new sewers.

Infrastructure Charges



11 Infrastructure Charges

11.1. This scheme, which revokes all previous Infrastructure Charges Schemes made by Thames Water, is made by Thames Water Utilities Limited under Section 143 of the Act and in accordance with the Charging Rules and shall operate from 1 April 2023 until 31 March 2024 inclusive.

11.2 General

11.2.1 Charges payable under this scheme are fixed accordance with the provisions of the Licence, the Act and the Charging Rules, and are shown in the Infrastructure Charges Schedule. Any taxes imposed by law on the making of such charges shall be recoverable in addition to such charges.

11.2.2 It is intended that the charges made under this scheme, will, with any other relevant sources of revenue, supply income necessary for the costs of Network Reinforcement that Thames Water reasonably incurs over a rolling five-year period in accordance with the Charging Rules and before the application of any Income Offset or Environmental Discount.

11.2.3 Rates for water infrastructure charges have been derived by dividing the average expected spend on water Network Reinforcement for the years 2023/24 to 2027/28 by the expected number of water Infrastructure Charges payable for the same period.

11.3 Charges

11.3.1 Subject to the provisions of Condition C of the Licence, where a customer requests Thames Water to make a connection to a water main of any one or more premises which have never at any previous time been connected to a supply of water provided for domestic purposes by Thames Water or any statutory predecessor to it, or where the customer otherwise makes arrangements for such a connection, there shall be payable to Thames Water in respect of each such premises the charge, (less any Related Amount), shown in the Infrastructure Charges Schedule. Provided that in calculating the total of such premises for the purposes of this charge, there shall be deducted from such total any premises on the same site which were separately connected to such water supply at the date of such calculation or within the previous period of five years provided that each such separately connected premises shall be deducted once only in calculating such total.

11.3.2 Subject to the provisions of Condition C of the Licence, where a customer requests Thames Water to make a connection to a public sewer of one or more premises which have never at any previous time been connected to a sewer used for the drainage for domestic purposes of those premises by Thames Water or any statutory predecessor to it, or where the customer otherwise makes arrangements for such a connection, there shall be payable to Thames Water in respect of each such premises the charge, (less any Related Amount), shown in the Infrastructure Charges Schedule.

11.3.3 Provided that in calculating the total of such premises for the purposes of this charge there shall be deducted from such total any premises on the same site which were separately connected to a public sewer at the date of such calculation or within the previous period of five years provided that each such separately connected premises shall be deducted once only in calculating such total.

11.4 Infrastructure charges payable

11.4.1 The published charges are for a single property supplied via a standard sized (25 or 32mm external diameter pipe) water connection. For other properties, such as student housing, offices or care homes, we apply a multiplier (the Relevant Multiplier as detailed below) to the published charge to reflect the increased impact on our networks.

11.4.2 The wastewater infrastructure charge is calculated on the same basis as the water infrastructure charge unless you are able to show that waste and surface water flows are not being discharged to the public sewer.

11.4.3 Standard infrastructure charges are shown in Table 1 below.

11.5 Table 1 Infrastructure charges

Infrastructure charges	Charge
Water	£660
Wastewater	£380

- 11.5.1 The Relevant Multiplier (“RM”) is a way of working out infrastructure charges for the following types of property:
- 11.5.2 Residential properties with a single, shared supply pipe and which are subject to a ‘common billing agreement’; this includes sheltered housing, student accommodation and high-rise flats
- 11.5.3 Non-residential properties where the supply pipe is larger than the standard size, such as office blocks

11.6 How the Relevant Multiplier is calculated

- 11.6.1 Each water fitting (wash basin, bath, shower, etc.) is given a ‘loading unit’ based on the amount of water it uses. The average number of units per property is taken as 24, equal to an RM of 1.00. We use this as the basis for calculating the for each property on a development where the RM applies.
- 11.6.2 Details of the number of loading units assigned to each water fitting are shown below in Table 2.

11.6.3 Table 2 Loading units for calculating the Relevant Multiplier

Water fitting	Loading units
WC flushing cistern	1
Wash basin	1
Bath (tap nominal size ¾” / 20mm)	4
Non-domestic bath	8
Shower	2
Sink (tap nominal size ½” / 15mm)	2
Non-domestic sink	8
Bidet	1
Domestic appliance	2
Commercial or communal appliance	5
External tap	5
Urinal	3

- 11.7.1 We add up the loading units for all the water fittings on a development. We divide this by the number of properties to give the average loading units per property. We divide this again by 24 (the average loading units) to give the RM for each property.
- 11.7.2 For properties subject to a common billing agreement, the RM can be more or less than 1.00. For other properties the minimum is 1.00.

11.8 Using the Relevant Multiplier to calculate infrastructure charge

- 11.8.1 We use the RM multiplied by the standard charge to give us the infrastructure charge for that property.
- 11.8.2 Example of a residential development
- 11.8.3 The development consists of 20 flats with a common billing agreement and the total loading units are 460.

11.9 Infrastructure charges

- 11.9.1 We divide the total loading units (460) by the number of properties (20) and again by the average (24). This gives an RM for each flat of 0.96 ($460 \div 20 \div 24 = 0.96$)
- 11.9.2 The infrastructure charge for each flat is the RM of 0.96 multiplied by the standard charges
- 11.9.3 The infrastructure charge for the whole development is the RM multiplied by the standard charge multiplied by the number of properties
- 11.9.4 The water infrastructure charge for the development is therefore:
- 11.9.5 $RM\ 0.96 \times 20\ properties \times \text{£}660\ standard\ charge = \text{£}13,056$
- 11.9.6 The wastewater infrastructure charge for the development is therefore
- 11.9.7 $RM\ 0.96 \times 20\ properties \times \text{£}380\ standard\ charge = \text{£}7,296$
- 11.9.8 Infrastructure Charges relate to supplies for domestic purposes. If your development needs water for other ancillary purposes relating to the development, such as for irrigation, bin stores etc we may also raise additional charges to cover the general cost of network reinforcement required to make such supplies. These costs (commonly referred to as Network Charges) will be confirmed at the time of application. Network Charges are shown in table 3 below

11.10 11.10 Table 3 Network Charges Loading units for calculating the Relevant Multiplier

Meter size mm	Meter size inches	Water	Waste
15	0.5	660	380
20	0.75	1,480	860
25	1	2,640	1,520
30	1.25	4,120	2,380
40	1.5	5,950	3,420
50	2	10,560	6,080
65	2.5	16,510	9,500
80	3	23,760	13,680
100	4	42,240	24,320
125	5	66,000	38,000
150	6	95,040	54,720
200	8	168,960	97,280
250	10	264,000	152,000
300	12	380,160	218,880

12 Income Offset

- 12.1 We are not obliged to offer an Income Offset against Infrastructure Charges. Historically we have offered Income Offsets, and these have also helped to maintain the balance of contributions paid by developers and other customers at a level comparable to the balance that was in place prior to 1 April 2018. However, since 2022-23 we will no longer offer an Income Offset and will maintain the balance of charges by introducing an environmental discount, as detailed below.

13 Environmental Discounts

- 13.1.1 You may be eligible for a discount under our Environmental incentives scheme if your development meets certain qualifying criteria as set out below. Please note that this discount will be offset against your Infrastructure Charge for the development. You will remain liable for all other New Connections Services charges outlined in these Charging Arrangements where applicable.
- 13.1.2 These environmental discounts are only applicable to quotes produced from 1st April 2023, and evidence demonstrating compliance with the criteria must be provided alongside your application for New Connections Services. We will assess whether your development meets the criteria at the application stage. If the development does qualify for the discount, details of the amount of the discount will be provided in your quote. We will not apply this discount at any later stage.
- 13.1.3 For NAV customers, the evidence can be submitted alongside your 6 monthly notifications of connections made and be accepted by us when raising your infrastructure charges invoice. Only connections made between 1st April 2023 and 31st March 2024 will be eligible for these environmental discounts. Properties that have previously locked in income offset discounts will not be eligible for environmental discounts.
- 13.1.4 For customers where we are not the water provider, we are notified of connections made to our waste network through Licence condition D notification from the incumbent Water Company. We will therefore accept evidence from these developers or self-lay providers once we have received this notification for connections made between 1st April 2023 and 31st March 2024. We will attempt to contact you to obtain this evidence ahead of processing the infrastructure charge invoice.
- 13.1.5 When you apply for an environmental discount, you are also consenting to us carrying out an audit of your development to ensure the criteria for the relevant discount have been satisfied. Should your development fail our audit, then you will be liable to repay the full discount given.

13.2 Water Efficiency Incentives

- 13.2.1 The Thames Water supply area is classified as 'seriously water stressed' by DEFRA. Our forecasting shows a significant future supply-demand deficit. To mitigate this, we're striving to:
- Reduce leakage by 50% by 2050
 - Roll out smart meters to all household and non-household connections by 2035
 - Deliver large-scale water efficiency interventions across household and non-household properties to achieve Water Resource Management Plan targets
- 13.2.2 With the population set to increase in the Thames Water supply area, further pressure will be added to an already stressed water resource situation. Reducing the water demand of new developments is vital, through the strengthening of building regulations (i.e., Future Homes Standard) and the introduction of new initiatives with developers and planning authorities.
- 13.2.3 Our water environmental incentives will assist developers in achieving a high standard of water efficiency performance as a baseline, whilst driving enhanced performance to reduce the pressure on water availability.
- 13.2.4 We are introducing a tiered approach to our water efficiency incentives. Each tier must be achieved in order to unlock the next tier option. The discounts do not accumulate. If you qualify for tier 2 or tier 3 then the discount available is the rate stated for that tier only.

13.3 Tier 1: Basic Water Efficiency Performance

13.3.1 You'll need to submit evidence that your development has been designed (as per the planning application) to achieve the 'Optional Requirement' of 110 litres/person/day, using the 'Fittings Approach' as outlined in Part G2 of the Building Regulations 2010 Approved Document G. Maximum levels of fittings consumption values are listed in paragraph 2.12, Table 2.2 of G2 of the Building Regulations 2010 Approved Document G.

We can apply the fittings consumption values (as per Table 2.2 of G2 of the Building Regulations 2010 Approved Document G) to applications made for both standard household dwellings and multi-occupancy buildings such as student accommodation, nursing homes, hotels.

13.3.2 You'll need to submit evidence that the total of the water fittings to be installed, do not exceed the consumption levels listed in Table 2.2.

Table 2.2 Building Regulations Part G

Water fitting (Table 2.2 Building Regulations)	Maximum consumption (Table 2.2 Building Regulations)	Description of your development's water fitting (device name and / model)	Water performance value of your development's fittings (litres/min, kg)
WC	4/2.6 litres dual flush		
Shower	8L/min		
Bath	170 litres		
Basin taps	5L/min		
Sink taps	6L/min		
Dishwasher	1.25L per placesetting		
Washing machine	8.17L/kilogram		

13.3.3 Tier 1: Incentive discount: £400 per property

13.3.4 Note: achieving the Optional Requirement of 110 l/p/d using the fittings approach, is already a requirement in the Greater London Authority area, through the London Plan.

13.4 Tier 2: Rainwater harvesting and greywater recycling / reuse:

13.4.1 To help drive the use of technologies that capture and/or reuse water, we are offering an incentive payment for when any of the following water provision technologies are included in your development.

- Rainwater harvesting
- Greywater recycling

13.4.2 To be eligible to apply for a Tier 2 discount, you must also be able to demonstrate compliance with the criteria for the Tier 1 discount.

13.4.3 For the Tier 2 discount to be approved, in addition to evidencing compliance with the criteria for Tier 1, please also send us your planning application and evidence to demonstrate that either of the following water reuse technologies are being installed and that the following requirements are met. The application of any of the water reuse options outlined below can be made on standard household dwellings and multi-occupancy buildings such as student accommodation, nursing homes, hotels.

If Rainwater Harvesting (RWH) is incorporated into the building, the system would need to capture water from the development's roof or other suitable area. A minimum of tank storage capacity of 4,000 litres must be provided for single house dwellings. This minimum tank size requirement aims to provide an enhanced level of water supply resilience for the dwelling. For all other dwellings (such as apartments), the British Standard BSEN 16941 methodology is to be used. The RWH tank must be plumbed back into the house and the RWH water must be at least the primary water source feeding the dwellings' total WC water usage. These requirements would be applicable to individual homes or large-scale housing, and multi-occupancy developments. The RWH system specified and installed must comply to British Standards BSEN 16941/1. The RWH reuse system would have a mains top-up as to comply with BS EN 16941-1 & 2.

If a Grey Water Recycling (GWR) system is to be incorporated into the building, the system specified and installed must comply to British Standards BSEN 16941/2. The GWR reuse system could capture greywater from the dwelling's showers and hand wash basins, and should demonstrate that this grey water to be at least the primary water feed to the dwelling's WCs. The GWR reuse option outlined above can be made on standard household dwellings and multi-occupancy buildings such as student accommodation, nursing homes, hotels

13.4.3 For the Tier 2 discount to be approved, in addition to evidencing compliance with the criteria for Tier 1, please also send us your planning application and evidence to demonstrate that the technologies meet the requirements detailed above.

13.4.4 Tier 2: Incentive discount: £1,000 per property

(this is the total discount if you achieve tier 2 and is not in addition to tier 1)

13.5 Tier 3: Water Neutrality:

13.5.1 A water neutral development does not add additional water demand pressures to its water resource zone supply needs. This is achieved by making the development as water efficient as possible (by adhering to Tiers 1 and 2) and then offsetting the development's remaining water demand through savings made on existing homes and businesses in the same water resource zone.

13.5.2 The delivery of water savings in your development's surrounding areas (within the same water resource zone), can be achieved through the retrofitting of water saving devices and fixing internal plumbing 'wastage' leaks across existing homes and businesses.

13.5.3 To be eligible for a Tier 3 Water Neutrality discount, you must first be able to demonstrate compliance with the criteria for both Tiers 1 and 2. This ensures that all reasonable efforts have been made to reduce the new development's baseline water demand, prior to commencing any water offsetting activity. Achieving Tier 3 will enable your development to achieve water neutral status.

13.5.4 The achievement of Tier 1 (Optional Requirement and 'Fittings Approach' as per Table 2.2 of G2 of the Building Regulations 2010 Approved Document G) and Tier 2 (evidence of water reuse system) would reduce a property's forecasted baseline average daily water demand. Using Thames Water's calculations, based on large-scale water efficiency programme delivery, offsetting a single new development would require an in-home water efficiency retrofitting service to be delivered on approx. 6.4 existing homes, within the same water resource zone – as outlined in the table below.

13.5.5 To achieve Tier 3 Water Neutrality, the retrofitting of existing homes could be delivered through either of the following two mechanisms:

a) Using your own in-house or contracted teams to deliver water efficiency retrofitting and internal 'wastage' leaks on existing housing stock, or

b) Utilising Thames Water's 'Smarter Homes and Business Visits' programme to undertake the delivery of water savings activities. This option would require a contribution of £500 per new property but would deliver the required water savings without new work streams to be set-up by you.

13.5.6 Tier 3: Incentive discount: £1,800 per property

(this is the total discount if you achieve tier 3 and is not in addition to tier 1 or 2)

13.5.7 Charge to developer if option b) selected £500 plus vat per property

13.5.8 If you choose to use your own in-house or contracted workforce to deliver water efficiency retrofitting visits to the surrounding existing homes, evidence of these visits would need to be provided to Thames Water. Our Water Efficiency team will assess and confirm that the required volume of water has been saved to offset your new development's demand requirements.

13.5.9 We will require you to fill in a table which will be supplied, which captures details on visit location, devices installed, wastage leaks fixed, and behaviour change advice provided to the resident of the existing home.

13.5.10 We require that any water savings devices are installed by the developer/contractor, not just provided to the existing resident.

13.5.11 Thames Water will use the address details to undertake site visit audits on a sample to the total homes retrofitted.

13.6 Sustainable Surface Water Incentives

13.6.1 We're introducing a wastewater incentive for reducing the surface water run-off leaving your development into our sewerage network. There are two options for achieving this discount:

a) Reduction of surface water run off discharged to the Thames Water network: the development utilises SUDS which reduces the overall volume discharged to our network by 95% or more, based on a 1-year return period.

b) Removal of all surface water run off discharged to the Thames Water network: the development has no surface water connection to our network or utilises SUDS so that all surface water flows outfall to ground/watercourse and ultimately the development discharges zero flows to our network.

13.6.2 Incentive discount: £30 per property

To apply for this incentive, please submit evidence that your development's planning consent and associated drainage strategy meet the requirements above. To aid with speed of processing, please highlight where within your drainage strategy this information is outlined.

General charging arrangements



14 Special circumstances

- 14.1 Under New Connections Charging Rules, we are not obliged to publish fixed charges for New Water Mains and Sewers where and to the extent it would be unreasonable for us to do so. We must take into account the practicality of setting cost-reflective upfront fixed charges and the benefit to customers of doing so. This exemption does not apply to Service Connections and New Gravity Fed Lateral Drains, which are all charged for based on our fixed charges. It also does not apply to Diversions, which are all charged for based on the reasonable cost we incur.
- 14.2 We have determined that the following circumstances, which we describe collectively as Special Circumstances, fall within this exemption. If the following Special Circumstances affect your site, our published fixed charges will not apply to all of the construction of your New Water Main. We expect there to be very few schemes featuring Special Circumstances, which arise where the technical complexity of the work is high, the type of work required is bespoke or carried out infrequently or we are exposed to third party rights.
- 14.3 Special Circumstances have been defined by Water UK as including one or more of the following circumstances:
- the technical complexity of the work is high, or the type of work required is bespoke or carried out infrequently
 - third parties can legitimately recover their costs and there is not a reasonable level of certainty of those costs in advance of work being undertaken
 - third parties have rights to protect their assets or interests in a way that affects the construction method, and the third parties' requirements are unknown up front
 - the work is to be carried out on or close to land with particular environmental, historical or archaeological characteristics. Specific examples are:
 - Projects involving New Water Mains with an external diameter above 355mm
 - Projects requiring us to incur additional cost due to working in or in proximity to one or more of the following:
 - Railway infrastructure
 - Major roads (trunk roads, dual carriageways, motorways)
 - Surface or buried waterways, ponds, reservoirs and water or wastewater storage
 - Bridges
 - Projects involving crossing or running adjacent to other utilities' infrastructure and where their consent is required (applies to strategic assets only), if this is expected to result in additional costs
 - Projects involving accessing existing third party service tunnels (London area)
 - Site-specific features for which additional charges may apply if one or more of the following are present:
 - Special security or protection requirements
 - Special requirements applying to the site (for example, Crown land, listed buildings or sites designated as a nature reserve)
 - Requirement to remove from the site hedgerows (planning authority consent required), thick scrub / vegetation, Japanese knotweed or giant hogweed
 - Distinctive surface type (for example, mosaic or Chinese granite setts) or where the highway authority imposes special reinstatement conditions (for example, Whitehall)
 - Discovery or disturbance of archaeological remains
 - With the exception of archaeological remains, where any of these Special Circumstances apply, we will price your New Water Main on application. Our quote will be an estimate only, and you will be charged an amount equal to the costs we incur.
 - We expect you to address any potential for archaeological remains as part of your development and to carry out any excavations, surveys or other activities as may be required before we carry out our works. If archaeological remains are discovered during our works, we will agree with you how best to proceed, and all reasonable costs incurred by us will be charged to you.
 - Where we use the term 'complex' in this document, we are referring to situations where Special Circumstances apply.

15 Payment terms and security

15.1 Introduction

- 15.1.1 We quote our charges for New Connections Services using the rates in effect on the date of the quote and on the basis of the information you provide to us in your application form or otherwise. You have the option of paying in advance or in arrears for our New Connections Services.
- 15.1.2 However, the amount you pay may be different if you pay in arrears. Application, design/checking and requote fees are always payable with your application and cannot be deferred.
- 15.1.3 Payment terms and security requirements for Adoption Agreements, Self-Lay Agreements and Diversion Agreements are as detailed in sections 6, 9 and 10 above. The terms set out in this section do not apply to these schemes.
- 15.1.4 Customers on our Priority Services Register, details of which can be found on our website at: thameswater.co.uk/help-extra-care/priority-services, or who are subject to the maximum charge set out in the WaterSure Tariff, or already on our WaterHelp scheme, should contact us to discuss payment options where the connection is required to maintain an essential service.

15.2 Payment in advance new connections

- 15.2.1 If you choose to pay in advance for the New Connections Services charges, you need to select this option and provide full payment when you accept our quote and do so within the validity period of that quote. You will need to pay the full charge for the works as shown on the quote.
- 15.2.2 If there is a credit or additional charge due on completion of the works, we will calculate this using the rates in effect on the date of the quote and will send you an invoice. Any queries or disputes in relation to charges must be raised within seven calendar days of the invoice date. Payment of undisputed charges is due within 14 calendar days of the invoice date.
- 15.2.3 Please note that if you opt to pay in advance, we will only schedule works after we have received full payment for those works. Please refer to sections 3.8.5 and 4.12.9 for expiry periods on accepted quotes.

15.2.4 Payment terms for Infrastructure Charges, Income Offsets and Environmental Discounts are set out in section 15.4.

15.2.5 Payments in advance are not deposits, and we therefore do not pay interest on any advance payment.

15.2.6 If there is a VAT Rate Change which takes effect on a date after:

- a) you have received our quote but before we have received your payment in advance for New Connections Services, we are obliged to charge you VAT at the new rate that comes into force on that date and we will send you an invoice for the increased or decreased VAT payable, as applicable; or
- b) we have received your payment in advance for New Connections Services but before we have completed the New Connections Services, we will charge you VAT in accordance with the VAT shown on our quote

15.3 Payment in arrears New Connections

15.3.1 You may choose to pay in arrears for your New Connections Services charges if you provide security equal to the expected charges for the works (including an inflation allowance). If you choose this option, you need to make this clear when you accept our quote and do so within the validity period of that quote. The security we accept is:

- a) A bank guarantee in our favour issued by a bank or building society registered and operating in the United Kingdom, appearing in the list of banks or building societies as compiled by the Bank of England and having an investment grade credit rating
- b) A letter of credit in our favour issued by a bank or building society registered and operating in the United Kingdom, appearing in the list of banks or building societies as compiled by the Bank of England and having an investment grade credit rating
- c) An on-demand bond or guarantee issued in our favour by a third party having an investment grade credit rating

The expected value of the charges for New Connections Services works and therefore of the security includes an allowance for inflation of our charges calculated with reference to forecast RPI.

15.3.3 We will provide the required value and wording for each of the security documents on request. Please note that if the provider of the security specifies an expiry date you will need to make sure that you provide replacement security of a value and form acceptable to us at least 30 calendar days before the expiry date. If you do not provide replacement security, we reserve the right to claim against the security you have provided in order to obtain payment for costs incurred to date and to suspend works until new security is provided.

15.3.4 We will not schedule any New Connections Services works until we have received acceptable security. You should allow a reasonable amount of time for the form of your security to be agreed in order to avoid any unnecessary delay to your works.

- 15.3.5 It is possible that, having accepted our quote on the basis of providing security, you instead choose to pay in advance. If so, you will need to apply for a requote. There is no fee for cancelling your acceptance of our original quote, although you will pay a requote fee and we will only schedule your works once you have accepted the new quote and we have received full payment. Please note that the requote will be different to our original quote if our published charges have changed.
- 15.3.6 On completion of the New Connections Services works, we will send you an invoice. As you are paying in arrears, we will calculate charges using the rates published and in effect when the works are completed. Any queries or disputes must be raised within seven calendar days of the invoice date. Payment of undisputed charges is due within 14 calendar days of the invoice date.
- 15.3.7 If you choose to pay in arrears for your New Connections Services and there is a VAT Rate Change which takes effect on a date after:
- a) you have received our quote but before we have completed or invoiced you for the New Connections Services, we are obliged to charge you VAT at the new rate that comes into force on that date and we will send you an invoice showing the increased or decreased VAT payable, as applicable; or
 - b) we have completed the New Connections Services works but before we have issued you with an invoice, we will charge you VAT in accordance with the new rate introduced by the VAT Rate Change.
- 15.3.8 On receipt of full payment for your works, we will return the security to you.
- 15.3.9 You can pay any charges by credit card, debit card, bank transfer or cheque. We do not accept cash.

15.4 Payment of Infrastructure Charges and Environmental Discounts

- 15.4.1 The charges shall become due and payable after the connection has been made and within 14 days after demand being made by Thames Water.
- 15.4.2 For information it should be noted that the charges payable under this scheme are in addition to the charges for making the actual physical connection to the water main and/or public sewer. In the event that Thames Water makes the connection it is empowered by the Act to charge the customer in accordance with the Charging Arrangements for the connection works in addition to raising infrastructure charges under this scheme.

- 15.4.3 Infrastructure charges are payable at the rates published and in effect on the date of connection. This may be different to the rate on a quote we issue or the rate applying when you begin your development. To provide you with the opportunity of price certainty, we invite you to pay infrastructure charges as set out in the quote for the service connection within the validity period of such quote and then to meet the requirements of passing water regulations within 12 months of the quote as set out in section 3.8.5 above [or for a SLP to have completed the connection within 12 months of the quote or for a NAV 12 months from the appointment by Ofwat for the site quoted]. If these requirements are met the rate will become fixed at the rate quoted. No additional infrastructure charges will become payable unless the information you provided to us about the development is found to be incorrect or you change your development. For NAV or SLP customers who do not pay upfront, or the connection will be made more than 12 months after the date of the quote or appointment by ofwat, the charges are payable at the rate in effect on the date of connection.

- 15.4.4 The developer will receive the environmental incentive discount at the same time they pay the infrastructure charges. If infrastructure charges have been paid as set out in a quote, within the validity period of that quote, and met the and met the 12 months requirements as set out in 15.4.3, the environmental incentive discount rate will become fixed at the rate quoted unless the information you provided to us about the development is found to be incorrect or you change your development. An upfront payment will not be made if the net total is such that a payment is due from Thames Water. If this is the case, it will be paid once the connection has been made. For NAV and SLP customers who do not pay upfront, or the connection will be made more than 12 months after the date of the quote, the environmental incentive discount will be set at the rate in effect on the date of connection and will be applied at the same time as the infrastructure charge is billed.

15.5 Agreements

- 15.5.1 The provisions of this scheme are without prejudice to the power of Thames Water to enter into an agreement with a customer as to the terms on which any charges due in respect of the connection of any premises to a water supply or a public sewer system shall be paid to Thames Water including in particular any agreement to make a lump sum payment (whether or not in advance of the connection or connections being made) in respect of such charges.

16 Transition arrangements

16.1.1 These Charging Arrangements come into effect from 1 April 2023.

16.1.2 Although the new charging rules come into effect for work quoted on or after 1 April 2023, Thames Water recognises that some work will be quoted prior to this date. These quotes would have been drawn up using previous Charging Arrangements. 12.1.3 We will use the following rules to determine whether the 2022/23 or 2023/24 charging arrangements apply.

16.1.3 Payment terms and security requirements for Adoption Agreements, Self-Lay Agreements and Diversion Agreements are as detailed in sections 6, 9 and 10 above. The terms set out in this section do not apply to these schemes.

16.2 Quotes issued prior to 1 April 2023

16.2.1 Before 1 April 2023, all quotes issued will be issued under 2022/23 Charging Arrangements.

- a) If your work has commenced, you cannot ask for a re-quote under 2023/24 arrangements.
- b) If your work has not commenced, you can ask for a re-quote under 2023/24 arrangements after 1 April 2023.

16.2.2 2022/23 quotes are still valid if:

- a) they are paid within their 180-calendar day validity period even if this is after 1 April 2023 and
- b) the parameters of the scheme do not change and
- c) the relevant SLP/NAV agreements are signed (if applicable)

16.3 Quotes issued on or after 1 April 2023

16.3.1 For work quoted for and commencing on or after 1 April 2023, the charges in these Charging Arrangements will apply unless the following conditions are met:

An application for a New Water Main or New Sewer was received on or before 17 February 2023 and the customer requests that 2022/23 Charging Arrangements be applied

An application for new water connections, Waste Connections or Lateral Drains was received on or before 3 March 2023 and the customer requests that 2022/23 Charging Arrangements be applied

16.4 Re-quotes on or after 1 April 2023

16.4.1 If a developer accepts and pays a quote issued under 2022/2023 Charging Arrangements, and then requires a re-quote on or after 1 April 2023, the 2023/24 Charging Arrangements will be used to calculate the re-quote

16.4.2 If an SLP or NAV signs an agreement issued under 2022/23 Charging Arrangements, and then requires a variation on or after 1 April 2023, the 2023/24 Charging Arrangements will be used as the new basis for the agreement.

16.4.3 If customers ask for a requote at any time, Thames Water will apply requote fees as normal.

16.4.4 Introduction of expiry date for accepted for service and main connections quotes

16.4.5 It's important that our works are cost reflective, and that customers who have different planning horizons aren't negatively impacted by our payment terms. Because of this, from 1 April 2022 we introduced a 12-month validity period for paid service connection quotations, and an 18-month validity period for paid mains and sewers quotations.

16.4.6 This means that once you've accepted and paid for your quote

- a) for service connections, you have 12 months from the date of quote to progress the works to connection stage, by passing your water regulations inspection.
- b) For mains and sewers, this means that the phase of mains laying construction must have commenced within 18 months of the quotation date.

16.4.7 If you have not progressed to the required stage within the required period, your quotation will no longer be valid (even if you've made payment) and you'll need a requote if you'd still like to proceed with the works. A requote fee will be payable, and the requote will be issued in accordance with the latest charging arrangements at the time, so the price may have changed.

16.4.8 We will refund any jobs where we cannot confirm you require a requote. If this happens, you will need to make a new application if you then choose to proceed with the connection.

17. Maintaining the broad balance of charges

- 17.1 When setting the charges for new Service Connections, New Lateral Drains, New Water Mains, New Sewers, Diversions, Self-Lay Agreements and Adoption Agreements, we are required to take reasonable steps to ensure that the balance of charges between developers and other customers prior to the implementation of the Charging Rules is broadly maintained.
- 17.2 We may only depart from this requirement where this is rendered necessary by circumstances, providing clear objective justification for doing so. Any such justification must be clearly identified in these Charging Arrangements.
- 17.3 We no longer make Asset Payments and will no longer offer Income Offset against Infrastructure Charges.
- 17.4 We will maintain the balance of charges as follows:
- 17.4.1 The provision of a Service Connection and New Lateral Drain continues to be fully chargeable. If you self-lay your connection, that also continues to be at your expense.
- 17.4.2 The provision of a Diversion continues to be fully chargeable. If you self-lay your diversion, that also continues to be at your expense.
- 17.4.3 For New Water Mains and New Sewers, these have now become fully chargeable, as Income Offset is no longer applied to these requisitions.
- 17.5 In addition to charges for New Connections Services, developers pay Infrastructure Charges.
- 17.5.1 Prior to the implementation of the new Charges Scheme Rules published by Ofwat in December 2016, Infrastructure Charges were fixed in real terms at a historical charge set out in Condition C of our Instrument of Appointment. It was expected that while developers would be charged for local reinforcement of the networks, wider reinforcement and strategic investment would be funded by Infrastructure Charges.
- 17.5.2 The Charging Rules, we set our own level of Infrastructure Charges to cover the Network Reinforcement expenditure that we incur over a rolling 5-year period. For 2023-24 Ofwat clarified that the methodology that is required to be used when calculating the Infrastructure Charges is a forward looking 5 years only and historical imbalances cannot be considered. The tighter definition of Network Reinforcement in the Charging Rules means that a proportion of the investment we make to provide capacity for development is excluded, including strategic schemes to provide future capacity.
- 17.5.3 Consequently, the level of Infrastructure Charge contribution changed following the implementation of the Charging Rules and resulted in a change in the balance of charges between developers and other customers.
- 17.5.4 Following an amendment to the Charges Scheme Rules in July 2019, the Income Offset was offset against Infrastructure charges effective from April 2020.
- 17.5.5 Historically we have set our level of Income Offset so that the financial contribution from 2020/21 onwards was the same as the average we contributed towards requisitions in the three years prior to 2018/19. This overall contribution was maintained in line with the volume of connected properties and inflation.
- 17.5.6 Consequently, we have maintained the balance of charges in this respect.
- 17.5.7 From 2023-24 we will no longer be offering an Income Offset but will maintain the balance of charges by way of an environmental incentive discount as detailed in section 13.

Appendices



Appendix A: Worked examples

We have put together some worked examples to illustrate how our charges are built up. As you look at them, please be aware:


- These are **not real schemes, just illustrations** to help you understand our charges
- All stated figures **exclude VAT**
- In the water examples we have labelled the different aspects of the connection work as **Contestable** and **Non-Contestable** to make it clear which parts of the work can be done by self-lay providers

For the purpose of these examples:

- they are all on **greenfield** (previously undeveloped) land, and so no infrastructure charge credits are due in respect of previous connections
- **no special circumstances** (as defined earlier) apply in the new main and sewer examples

Example 1: New water connection to a single home – short length of pipe

In this example we consider a single Service Connection to a property with a total of 4m of pipelaying. Barrier pipe is not required.




Example 1 charges: New water connection to a single home – short length of pipe

Thames Water delivered								Alternative delivery method	
				2023/24				2023/24	
Item	Contestable (Y/N)	Unit	Quantity	Rate	Charge	Barrier pipe uplift rate	Barrier pipe total charge	Self-lay rate	Self-lay charge
Pre-construction charges									
Application fee	N	per application	1	£55	£55	£55	£55	£55	£55
Administration fee	Not charged by Thames Water								
Design fee (Design checking for self-lay)	Y	per property	1	£55	£55	£55	£55	£35	£35
Subtotal					£110		£105		£90
Construction charges									
Connection 25/32mm	Road	Y	per connection	1	£3,490	£3,490	£4,170		
Pipe 25/32mm	Road	Y	per metre	3	£630	£1,890	£710		
Traffic Management	Included in connection and pipelaying fees								
Meters	Meter included in connection fee								
Subtotal					£5,380		£6,300		£0
Other charges									
Consent to connect (foul water)	N	per property	1	£330	£330	£330	£330	£330	£330
Consent to connect (surface water)	N	per connection	1	£330	£330	£330	£330	£330	£330
Subtotal					£660		£660		£660
Infrastructure charges									
Infrastructure charge (water)	N	per property	1	£660	£660	£660	£660	£660	£660
Infrastructure charge (wastewater)	N	per property	1	£380	£380	£380	£380	£380	£380
Subtotal					£1,040		£1,040		£1,040
Income offset									
Income offset (water)	N	per property	1	£0	£0	£0	£0	£0	£0
Income offset (wastewater)	N	per property	1	£0	£0	£0	£0	£0	£0
Subtotal					£0		£0		£0
Total scheme cost before environmental incentive					£7,190		£8,105		£1,790
Environmental discount Water Tier 1	N	per property	1	-£400	-£400	-£400	-£400	-£400	-£400
Environmental discount Waste	N	per property	1	-£30	-£30	-£30	-£30	-£30	-£30
Subtotal					-£430		-£430		-£430
Total scheme cost before environmental incentive					£6,760		£7,675		£1,360

Example 2: New water connection to a block of 10 Flats

In this example we consider a single Service Connection to a property with 8 meters of pipelaying. Barrier pipe is not required.




Example 2 charges: New water connection to a block of 10 Flats

Thames Water delivered								Alternative delivery method			
			2023/24					2023/24			
Item	Contestable (Y/N)	Unit	Quantity	Rate	Charge	Barrier pipe uplift rate	Barrier pipe total charge	Self-lay rate	Self-lay charge	Nav rate	Nav charge
Pre-construction charges											
Application fee	N	per application	1	£55	£55	£55	£55	£55	£55	£55	£55
Administration fee	Not charged by Thames Water										
Design fee (Design checking for self-lay)	Y	per property	1	£55/£35	£370	£55/£35	£370	£35/£25	£260	£35	£35
Subtotal					£425		£425		£315		£90
Construction charges											
Connection 50/63mm ^c	Road	Y	per connection	1	£5,630	£5,630	£6,140				
Pipe 50/63mm ^c	Road	Y	per metre	3	£650	£1,950	£730				
Pipe 50/63mm ^c	Unmade	Y	per metre	4	£240	£960	£280				
Traffic Management	Included in connection and pipelaying fees										
Internal Meters 20mm in line	N	per meter	10	£210	£2,100	£210	£2,100	£210	£2,100		
Subtotal					£10,640		£11,820		£2,100		
Other charges											
Consent to connect (foul water)	N	per connection	1	£330	£330	£330	£330	£330	£330	£330	£330
Consent to connect (surface water)	N	per connection	1	£330	£330	£330	£330	£330	£330	£330	£330
Subtotal					£660		£660		£660		£660
Infrastructure charges											
Infrastructure charge (water)	N	per property	10	£660	£6,600	£660	£6,600	£660	£6,600	£660	£6,600
Infrastructure charge (wastewater)	N	per property	10	£380	£3,800	£380	£3,800	£380	£3,800	£380	£3,800
Subtotal					£10,400		£10,400		£10,400		£10,400
Income offset											
Income offset (water)	N	per property	10	£0	£0	£0	£0	£0	£0	£0	£0
Income offset (wastewater)	N	per property	10	£0	£0	£0	£0	£0	£0	£0	£0
Subtotal					£0		£0		£0		£0
Total scheme cost before environmental incentive					£22,125		£23,305		£13,475		£11,150
Environmental discount Water Tier 1	N	per property	10	-£400	-£4,000	-£400	-£4,000	-£400	-£4,000	-£400	-£4,000
Environmental discount Waste	N	per property	10	-£30	-£300	-£30	-£300	-£30	-£300	-£30	-£300
Subtotal					-£4,300		-£4,300		-£4,300		-£4,300
Total scheme cost before environmental incentive					£17,825		£19,005		£9,175		£6,850

Example 3:
New Water Main to a medium-sized housing development, excavation and reinstatement by others

In this example we consider a 50-house development which requires a New Water Main and service connections. There is a total of 300m of new mains where excavation and reinstatement is completed by others, except the 10m in the road leading to the point of connections.



Example 3 charges:


New Water Main to a medium-sized housing development, excavation and reinstatement by others

Thames Water delivered								Alternative delivery method			
				2023/24				2023/24			
Item	Contestable (Y/N)	Unit	Quantity	Rate	Charge	Barrier pipe uplift rate	Barrier pipe total charge	Self-lay rate	Self-lay charge	Nav rate	Nav charge
Pre-construction charges											
Application fee	N	per application	1	£55	£55	£55	£55	£55	£55	£55	£55
Administration fee	Not charged by Thames Water										
Design fee (Design checking for self-lay)	Y	Property band	50+	£1,145	£1,145	£1,145	£1,145	£460	£460	£285	£285
Subtotal					£1,200		£1,200		£515		£340
Construction charges											
Connection 125mm	Road	N (CA*)	per connection	1	£12,040	£12,040	£12,040	£12,040	£12,040	£12,040	£12,040
Pipe 125mm	Road	Y	per metre	10	£650	£6,500	£680	£6,800			
Pipe 125mm	Customer excavation	Y	per metre	190	£150	£28,500	£170	£32,300			
Pipe 80/90mm	Customer excavation	Y	per metre	100	£120	£12,000	£150	£15,000			
Traffic Management	Included in connection and pipelaying fees										
Subtotal					£59,040		£66,140		£12,040		£12,040
Connection 25/32mm	Customer excavation	Y	per connection	50	£430	£21,500	£750	£37,500			
Pipe 25/32mm	Customer excavation	Y	per metre	100	£30	£3,000	£40	£4,000			
Traffic Management	Included in connection and pipelaying fees										
Meters	Meter included in Connection fee										
Subtotal Service Connections					£24,500		£41,500				
Subtotal Construction					£83,540		£107,640		£12,040		£12,040
Other charges											
Consent to connect (foul water)	N	per connection	1	£330	£330	£330	£330	£330	£330	£330	£330
Consent to connect (surface water)	N	per connection	1	£330	£330	£330	£330	£330	£330	£330	£330
Subtotal					£660		£660		£660		£660
Infrastructure charges											
Infrastructure charge (water)	N	per property	50	£660	£33,000	£660	£33,000	£660	£33,000	£660	£33,000
Infrastructure charge (wastewater)	N	per property	50	£380	£19,000	£380	£19,000	£380	£19,000	£380	£19,000
Subtotal					£52,000		£52,000		£52,000		£52,000
Income offset											
Income offset (water)	N	per property	50	£0	£0	£0	£0	£0	£0	£0	£0
Income offset (wastewater)	N	per property	50	£0	£0	£0	£0	£0	£0	£0	£0
Subtotal					£0		£0		£0		£0
Total scheme cost before environmental incentive					£137,400		£161,500		£65,215		£65,040
Environmental discount Water Tier 1	N	per property	50	-£400	-£20,000	-£400	-£20,000	-£400	-£20,000	-£400	-£20,000
Environmental discount Waste	N	per property	50	-£30	-£1,500	-£30	-£1,500	-£30	-£1,500	-£30	-£1,500
Subtotal					-£21,500		-£21,500		-£21,500		-£21,500
Total scheme cost before environmental incentive					£115,900		£140,000		£43,715		£43,540

* Mains Connection is Contestable depending on accreditation. This example assumes no accreditation and Thames Water carries out the connection

Example 4:
New Water Main to a medium-sized housing development, excavation and reinstatement by Thames

In this example we consider a 50-house development which requires a New Water Main and service connections. There is a total of 300m of new mains where excavation and reinstatement is completed by Thames.




Example 4 charges: New Water Main to a medium-sized housing development, excavation and reinstatement by Thames

Thames Water delivered									Alternative delivery method			
				2023/24				2023/24				
Item	Contestable (Y/N)	Unit	Quantity	Rate	Charge	Barrier pipe uplift rate	Barrier pipe total charge	Self-lay rate	Self-lay charge	Nav rate	Nav charge	
Pre-construction charges												
Application fee	N	per application	1	£55	£55	£55	£55	£55	£55	£55	£55	
Administration fee	Not charged by Thames Water											
Design fee (Design checking for self-lay)	Y	Property band	50+	£1,145	£1,145	£1,145	£1,145	£460	£460	£285	£285	
Subtotal					£1,200		£1,200		£515		£340	
Construction charges												
Connection 125mm	Road	N (CA*)	per connection	1	£12,040	£12,040	£12,040	£12,040	£12,040	£12,040	£12,040	
Pipe 125mm	Road	Y	per metre	10	£650	£6,500	£680	£6,800				
Pipe 125mm	Footpath	Y	per metre	50	£600	£30,000	£630	£31,500				
Pipe 125mm	Unmade	Y	per metre	140	£300	£42,000	£320	£44,800				
Pipe 80/90mm	Unmade	Y	per metre	100	£280	£28,000	£290	£29,000				
Traffic Management	Included in connection and pipelaying fees											
Subtotal main					£118,540		£124,140		£12,040		£12,040	
Connection 25/32mm	Unmade	Y	per connection	50	£920	£46,000	£1,230	£61,500				
Pipe 25/32mm	Unmade	Y	per metre	100	£230	£23,000	£260	£26,000				
Traffic Management	Included in connection and pipelaying fees											
Meters	Meter included in Connection fee											
Subtotal Service Connections					£69,000		£87,500					
Subtotal Construction					£187,540		£211,640		£12,040		£12,040	
Other charges												
Consent to connect (foul water)	N	per connection	1	£330	£330	£330	£330	£330	£330	£330	£330	
Consent to connect (surface water)	N	per connection	1	£330	£330	£330	£330	£330	£330	£330	£330	
Subtotal					£660		£660		£660		£660	
Infrastructure charges												
Infrastructure charge (water)	N	per property	50	£660	£33,000	£660	£33,000	£660	£33,000	£660	£33,000	
Infrastructure charge (wastewater)	N	per property	50	£380	£19,000	£380	£19,000	£380	£19,000	£380	£19,000	
Subtotal					£52,000		£52,000		£52,000		£52,000	
Income offset												
Income offset (water)	N	per property	50	£0	£0	£0	£0	£0	£0	£0	£0	
Income offset (wastewater)	N	per property	50	£0	£0	£0	£0	£0	£0	£0	£0	
Subtotal					£0		£0		£0		£0	
Total scheme cost before environmental incentive					£241,400		£265,500		£65,215		£65,040	
Environmental discount Water Tier 1	N	per property	50	-£400	-£20,000	-£400	-£20,000	-£400	-£20,000	-£400	-£20,000	
Environmental discount Waste	N	per property	50	-£30	-£1,500	-£30	-£1,500	-£30	-£1,500	-£30	-£1,500	
Subtotal					-£21,500		-£21,500		-£21,500		-£21,500	
Total scheme cost before environmental incentive					£219,900		£244,000		£43,715		£43,540	

* Mains Connection is Contestable depending on accreditation. This example assumes no accreditation and Thames Water carries out the connection

Example 5: New Water Main to a large-sized housing development, excavation and reinstatement by others

In this example we consider a 200-house development which requires a New Water Main and service connections. There is a total of 1,000m of new mains where excavation and reinstatement is completed by others, except the 20m in the road leading to the point of connections




Example 5 charges: New Water Main to a large-sized housing development, excavation and reinstatement by others

Thames Water delivered								Alternative delivery method			
				2023/24				2023/24			
Item	Contestable (Y/N)	Unit	Quantity	Rate	Charge	Barrier pipe uplift rate	Barrier pipe total charge	Self-lay rate	Self-lay charge	Nav rate	Nav charge
Pre-construction charges											
Application fee	N	per application	1	£55	£55	£55	£55	£55	£55	£55	£55
Administration fee	Not charged by Thames Water										
Design fee (Design checking for self-lay)	Y	Property band	50+	£1,145	£1,145	£1,145	£1,145	£460	£460	£285	£285
Subtotal					£1,200		£1,200		£515		£340
Construction charges											
Connection 180mm	Road	N (CA*)	per connection	1	£13,110	£13,110	£13,110	£13,110	£13,110	£13,110	£13,110
Pipe 180mm	Road	Y	per metre	20	£780	£15,600	£810	£16,200			
Pipe 180mm	Customer excavation	Y	per metre	100	£180	£18,000	£210	£21,000			
Pipe 125mm	Customer excavation	Y	per metre	480	£150	£72,000	£170	£81,600			
Pipe 80/90mm	Customer excavation	Y	per metre	400	£120	£48,000	£150	£60,000			
Traffic Management	Included in connection and pipelaying fees										
Subtotal main					£166,710		£191,910		£13,110		£13,110
Connection 25/32mm	Customer excavation	Y	per connection	200	£430	£86,000	£750	£150,000			
Pipe 25/32mm	Customer excavation	Y	per metre	400	£30	£12,000	£40	£16,000			
Traffic Management	Included in connection and pipelaying fees										
Meters	Meter included in Connection fee										
Subtotal Service Connections					£98,000		£166,000				
Subtotal Construction					£264,710		£357,910		£13,110		£13,110
Other charges											
Consent to connect (foul water)	N	per connection	1	£330	£330	£330	£330	£330	£330	£330	£330
Consent to connect (surface water)	N	per connection	1	£330	£330	£330	£330	£330	£330	£330	£330
Subtotal					£660		£660		£660		£660
Infrastructure charges											
Infrastructure charge (water)	N	per property	200	£660	£132,000	£660	£132,000	£660	£132,000	£660	£132,000
Infrastructure charge (wastewater)	N	per property	200	£380	£76,000	£380	£76,000	£380	£76,000	£380	£76,000
Subtotal					£208,000		£208,000		£208,000		£208,000
Income offset											
Income offset (water)	N	per property	200	£0	£0	£0	£0	£0	£0	£0	£0
Income offset (wastewater)	N	per property	200	£0	£0	£0	£0	£0	£0	£0	£0
Subtotal					£0		£0		£0		£0
Total scheme cost before environmental incentive					£474,570		£567,770		£222,285		£222,110
Environmental discount Water Tier 1	N	per property	200	-£400	-£80,000	-£400	-£80,000	-£400	-£80,000	-£400	-£80,000
Environmental discount Waste	N	per property	200	-£30	-£6,000	-£30	-£6,000	-£30	-£6,000	-£30	-£6,000
Subtotal					-£86,000		-£86,000		-£86,000		-£86,000
Total scheme cost before environmental incentive					£388,570		£481,770		£136,285		£136,110

* Mains Connection is Contestable depending on accreditation. This example assumes no accreditation and Thames Water carries out the connection

Example 6: New Water Main to a medium-sized housing development, excavation and reinstatement by Thames

In this example we consider a 200-house development which requires a New Water Main and service connections. There is a total of 1,000m of new mains where excavation and reinstatement are completed by Thames.




Example 6 charges: New Water Main to a medium-sized housing development, excavation and reinstatement by Thames

Thames Water delivered								Alternative delivery method			
				2023/24				2023/24			
Item	Contestable (Y/N)	Unit	Quantity	Rate	Charge	Barrier pipe uplift rate	Barrier pipe total charge	Self-lay rate	Self-lay charge	Nav rate	Nav charge
Pre-construction charges											
Application fee	N	per application	1	£55	£55	£55	£55	£55	£55	£55	£55
Administration fee	Not charged by Thames Water										
Design fee (Design checking for self-lay)	Y	Property band	50+	£1,145	£1,145	£1,145	£1,145	£460	£460	£285	£285
Subtotal					£1,200		£1,200		£515		£340
Construction charges											
Connection 180mm	Road	N (CA*)	per connection	1	£12,040	£12,040	£12,040	£12,040	£12,040	£12,040	£12,040
Pipe 180mm	Road	Y	per metre	20	£780	£15,600	£810	£16,200			
Pipe 180mm	Customer excavation	Y	per metre	100	£750	£75,000	£780	£78,000			
Pipe 125mm	Customer excavation	Y	per metre	480	£300	£144,000	£320	£153,600			
Pipe 80/90mm	Customer excavation	Y	per metre	400	£280	£112,000	£290	£116,000			
Traffic Management	Included in connection and pipelaying fees										
Subtotal main						£358,640		£375,840		£12,040	£12,040
Connection 25/32mm	Customer excavation	Y	per connection	200	£920	£184,000	£1,230	£246,000			
Pipe 25/32mm	Customer excavation	Y	per metre	400	£230	£92,000	£260	£104,000			
Traffic Management	Included in connection and pipelaying fees										
Meters	Meter included in Connection fee										
Subtotal Service Connections						£276,000		£350,000			
Subtotal Construction						£634,640		£725,840		£12,040	£12,040
Other charges											
Consent to connect (foul water)	N	per connection	1	£330	£330	£330	£330	£330	£330	£330	£330
Consent to connect (surface water)	N	per connection	1	£330	£330	£330	£330	£330	£330	£330	£330
Subtotal						£660		£660		£660	£660
Infrastructure charges											
Infrastructure charge (water)	N	per property	200	£660	£132,000	£660	£132,000	£660	£132,000	£660	£132,000
Infrastructure charge (wastewater)	N	per property	200	£380	£76,000	£380	£76,000	£380	£76,000	£380	£76,000
Subtotal						£208,000		£208,000		£208,000	£208,000
Income offset											
Income offset (water)	N	per property	200	£0	£0	£0	£0	£0	£0	£0	£0
Income offset (wastewater)	N	per property	200	£0	£0	£0	£0	£0	£0	£0	£0
Subtotal						£0		£0		£0	£0
Total scheme cost before environmental incentive						£844,500		£935,700		£221,215	£221,040
Environmental discount Water Tier 1	N	per property	200	-£400	-£80,000	-£400	-£80,000	-£400	-£80,000	-£400	-£80,000
Environmental discount Waste	N	per property	200	-£30	-£6,000	-£30	-£6,000	-£30	-£6,000	-£30	-£6,000
Subtotal						-£86,000		-£86,000		-£86,000	-£86,000
Total scheme cost before environmental incentive						£758,500		£849,700		£135,215	£135,040

* Mains Connection is Contestable depending on accreditation. This example assumes no accreditation and Thames Water carries out the connection

Example 7: New Water Main to a large block of flats

This example shows 200 flats being connected to an existing water main. Barrier pipe is not required




Example 7 charges: New Water Main to a large block of flats

Thames Water delivered							
				2023/24			
Item	Contestable (Y/N)	Unit	Quantity	Rate	Charge	Barrier pipe uplift rate	Barrier pipe total charge
Pre-construction charges							
Application fee	N	per application	1	£55	£55	£55	£55
Administration fee	Not charged by Thames Water						
Design fee (Design checking for self-lay)	Y	per property	200	£55/£35	£7,020	£55/£35	£7,020
Subtotal					£7,075		£7,075
Construction charges							
Connection 180mm	Road	N (CA*)	per connection	1	£15,740	£15,740	£16,660
Pipe 180mm	Road	N (CA*)	per metre	7	£970	£2,910	£970
Pipe 180mm	Footpath	N (CA*)	per metre	3	£790	£3,160	£830
Traffic Management	Included in connection and pipelaying fees						
Internal Meters 20mm in line	N	per meter	200	£210	£42,000	£210	£42,000
Subtotal					£63,810		£67,940
Other charges							
Consent to connect (foul water)	N	per connection	1	£330	£330	£330	£330
Consent to connect (surface water)	N	per connection	1	£330	£330	£330	£330
Subtotal					£660		£660
Infrastructure charges							
Infrastructure charge (water)	N	per property	200	£660	£132,000	£660	£132,000
Infrastructure charge (wastewater)	N	per property	200	£380	£76,000	£380	£76,000
Subtotal					£208,000		£208,000
Income offset							
Income offset (water)	N	per property	200	£0	£0	£0	£0
Income offset (wastewater)	N	per property	200	£0	£0	£0	£0
Subtotal					£0		£0
Total scheme cost before environmental incentive					£279,545		£283,675
Environmental discount Water Tier 1	N	per property	200	-£400	-£80,000	-£400	-£80,000
Environmental discount Waste	N	per property	200	-£30	-£6,000	-£30	-£6,000
Subtotal					-£86,000		-£86,000
Total scheme cost before environmental incentive					£193,545		£197,675

* Mains Connection is Contestable depending on accreditation. This example assumes no accreditation and Thames Water carries out the connection

Appendix B: Traffic management

- (i) We will usually need to work in a road, footpath and / or unmade ground (up to point 1 in the drawing) in order to provide you with a Service Connection. Traffic Management (2) is needed to ensure safe working and minimise inconvenience for drivers and pedestrians. We may incur charges made by Transport for London and / or the highway authority. Examples can include traffic lights and bus stop suspensions. Certain highway authorities require a permit fee to work in the road.
- (ii) Parking bay suspensions (3) are often needed so we can work safely. The highway authority can also request suspensions opposite our work to allow room for traffic.
- (iii) Road or lane closures (4) are sometimes necessary if we or the highway authority decide parking bay suspensions are not sufficient. In these cases, the highway authority charges us a fee.
- (iv) Traffic Management drawings (5) are often requested by the highway authority. These show how we will keep traffic moving and make sure the site is safe. Schemes affecting more than one highway may need multiple Traffic Management submissions.
- (v) Lane rental charges are levied (for example by Transport for London) if we work on traffic-sensitive routes during busy periods and need to suspend at least one lane.



Appendix C: Definitions and abbreviations

Subject to sub-clause (2), the Interpretation Act 1978 shall have effect for the interpretation of this scheme as it has effect for the interpretation of an Act of Parliament

In this scheme, unless the context otherwise requires:

‘the Act’ means the Water Industry Act 1991 as amended from time to time.

‘Adoption Agreement’ means an agreement made under section 104 of the Act.

‘Asset Payment’ means in relation to a section 51A Self-Lay Agreement the amount described in section 51CD (3) of the Act, net of any charges we make.

‘Charging Rules’ means the Charging Rules for New Connection Services (English Undertakers) issued under sections 51CD, 105ZF and 144ZA of the Act

‘Charges Scheme’ means our charges scheme made under section 143 of the Act.

‘Charging Arrangements’ means our document setting out the charges, Income Offsets and Asset Payments, and / or the methodologies for calculating those, applied by us in accordance with the Charging Rules.

‘Contestable Work’ means the work or services that can be completed by either a Water Company or an Accredited Third Party.

‘DAD’ means the discounted aggregate deficit calculation previously used to calculate the Income Offset.

‘Diversions’ means the alteration or removal of a public water main or sewer in accordance with section 185 of the Act only.

‘Diversion Agreement’ means an agreement for you to carry out diversion works on our behalf.

‘Footpath’ means a hard-surfaced area intended for use by pedestrian or cyclists.

‘Income Offset’ means a sum of money offset against Infrastructure Charges in recognition of the revenue likely to be received by the relevant undertaker in future years for the provision of sewerage services to premises being connected to the Thames Water network. This is now applied as an Environmental Discount.

‘Infrastructure Charge’ means the charges described in section 146(2) of the Water Industry Act 1991. That is, a charge paid by the Developer Customer to Thames Water when a property is connected to the supply or sewer network for the first time.

‘New Lateral Drain’ means that part of a drain which runs from the curtilage of a building (or buildings or yards within the same curtilage) to a sewer with which the drain communicates or is to communicate which is provided in accordance with sections 98(1A) and 101B of the Act.

‘Licensees’ means Water and Sewerage supply Licensees.

‘NAV’ means a company appointed by Ofwat through the new appointments and variations process to provide water and/or sewerage services to customers in an area previously served by the incumbent Water Company. A new appointment is made when Ofwat appoints a company for the first time to provide services for specific geographic area. A variation occurs where an existing appointment is varied to amend the area served.

‘Network Reinforcement’ means work to provide or modify such other specified types of infrastructure (mains and tanks, service reservoirs, pumping stations, or sewers) as is necessary in consequence of the need to provide adequate water supply and/or sewerage capacity to a development at which mains, service pipes, public sewers and/or lateral drains have been installed or connected by the company imposing the charge or by a company with whom the company has entered into an agreement for bulk supply or bulk discharge.

‘New Connections Services’ is the collective term for New Water Mains, New Sewers, Service Connections, Lateral Drains, Waste Connections and Diversions.

‘New Sewers’ means a sewer provided by us in accordance with our duties under section 98(1) of the Act.

‘New Water Mains’ means a water main provided by us in accordance with our duties under section 41(1) of the Act.

‘Non-Contestable’ means

1. work or services on the water network which are the responsibility of the water company but which it may at its discretion contract out to an SLP
2. work on the wastewater network which the water company exercises its right to carry out under section 107 of the Act

‘non-domestic purposes’ means

1. for a service connection or new water main:
 - a. the premises being connected to the water network do not consist in the whole or any part of a building; or
 - b. the supply is for purposes other than domestic purposes
2. for a lateral drain or new sewer, the discharge of trade effluent

‘our’ and **‘we’** means Thames Water.

‘Requisition’ is the collective term for New Water Mains and New Sewers.

‘Road’ means a hard-surfaced area intended for vehicles.

‘Service Connection’ means the joining of a Service Pipe to a Water Main which is provided under section 45 and 46 of the Water Industry Act 1991.

‘Self-Lay Agreement’ means an agreement made under section 51A of the Act.

‘SLP’ means self-lay provider.

'Special Circumstances' means circumstances defined in sections 4.4.1, 8.4.1 and section 14.

'Thames Lee Tunnel' is a strategic asset in East London running from Abbey Mills Pumping Station to Beckton Sewage Treatment Works.

'Thames Water' means Thames Water Utilities Limited.

'Thames Water Ring Main', formerly known as the London Water Ring Main, is a strategic asset connecting London's water treatment works with the water distribution network.

'Third Party Land' means any land which is not a public highway and is not in the ownership of the customer.

'Trade Effluent' has the meaning given in section 141 of the Act.

'Traffic Management' means any arrangements as may be required to ensure the safety of operatives and the public and to facilitate or divert traffic and pedestrian movements (see Appendix B for more information).

'Trunk main' has the meaning given by section 219 of the Act.

'Trunk sewer' means a public sewer as is used for the general reception of sewage from other public sewers and is not substantially used for the reception of sewage from private sewers and drains.

'Unmade ground' means ground which does not have a man-made surface, and may feature grass and topsoil

'Waste Connection' means a connection between your sewer or drain and the public sewer, which is made in accordance with our right under section 107 of the Act.

'WaterSure Tariff' has the meaning given in our Charges Scheme

Appendix D: Summary of changes

1 Introduction

- 1.1 To help you understand at a glance how our 2023/24 charging arrangements differ to those published for 2022/23, we've summarised the key updates below.
- 1.2 While we have endeavoured to outline all changes, this is not an exhaustive line-by-line record and we recommend you familiarise yourself with the entire document as appropriate.

2 At-a-glance summary

- 2.1 Throughout the document, we have:
- (a) updated references to dates to reflect the new charging year
 - (b) made a small number of terminology adjustments and removed part made ground from our surface types
- 2.2 Changes specific to Service Connections (section 3)
- (a) updated rates in tables of tariffs for pipelaying, connections and ancillary charges (section 3.7.2) to reflect 2023/24 rates
- 2.3 Changes specific to Mains Requisitions (section 4)
- (a) updated rates in tables of tariffs for pipelaying, connections and ancillary charges (sections 4.11.1 and 4.11.3 and 4.11.4) to reflect 2023/24 rates
- 2.4 Changes to Water Main Diversion (section 5)
- (a) updated prices (tables 5.7.2 and 5.7.3) to reflect 2023/24 rates
- 2.5 Changes specific to Internal Meters (section 3 and section 6)
- (a) added separate replacement internal meter prices to the meter table
- 2.6 Changes specific to Waste Connections & New Lateral Drains (section 7)
- (a) updated rates in tables of tariffs (sections 7.7.1 and 7.7.2) to reflect 2023/24 rates
- 2.7 Changes specific to New Sewers (section 8)
- (a) Updated rates in tables of indicative tariffs (sections 8.6.1) and application fee (8.6.2) to reflect 2023/24 rates
- 2.8 Changes to Sewer Divisions (section 9)
- (a) updated prices (table 9.6.1) to reflect 2023/24 rates
- 2.9 Changes to Infrastructure Charges (sections 11-14)
- (a) Updated the rates in the table of charges and examples for the relevant multiplier
 - (b) Environmental Incentives (section 13) updated details on the qualifying criteria and rate for tier 2
 - (c) Updated the payment arrangements for Infrastructure charges/income offset/environmental discounts to clarify the requirements for SLP and NAV customers (sections 15.4.3 and 15.4.4)
- 2.10 Changes specific to Transition Arrangements (section 16)
- (a) Updated transition arrangements to reflect requirements for 2023/24
- 2.11 Changes to Appendix A - Worked examples
- Worked Examples updated to reflect 2023/24 prices

Furthur documentation



Other services we offer

Our Charging Arrangements do not cover all the charges you may incur in relation to your development. Other charges are found on our website. For information purposes only, the table below shows examples of other charges that you may need to pay us.

Other Services we Offer	Charge	Charge covers
Consent to Connect to a public sewer (direct connection)	£330	Logging, reviewing and technically assessing new connection design and method, impact on our network and issuing formal response (consent or refusal). Planning and undertaking a site inspection as required.
Consent to Connect to a public sewer (indirect connection)	£110	Logging, reviewing and commenting on proposals, assessing impact on our network and issuing formal response (consent or refusal)
Additional visit charge	£185 + VAT per visit	The time and travel costs of visiting the site
Buildovers	Refer to the following page on our website thameswater.co.uk/developers/larger-scale-developments/sewers-and-wastewater/build-over-or-near-a-sewer	Consent to buildover or near our Water or Wastewater Assets and any protection works required
Adoption of existing wastewater assets (Section 102)	£1,000 application fee plus Project Management and Inspection fee if units >5 5 to 100 units: £2,000 101 to 500 units: £5,000 500 + units or any site that includes a pumping station: £10,000	Logging technically assessing and responding on suitability of sewer design and layout. Reviewing and assessing CCTV surveys and all on-site inspections.
Flow monitoring	Price on Application	Flow monitoring
Metering an existing supply	Free of charge	Metering an existing supply
Odour impact assessment	Price on Application	Odour impact assessment
Diversions related to transport schemes (i.e not developments)	Price on Application	Diversions related to transport schemes (i.e not developments)
Pre-development and capacity enquiries	Free of charge	Pre-development and capacity enquiries
Consultancy, project management and technical support	Price on Application	Consultancy, project management and technical support



Contact us



Further information:

thameswater.co.uk/developers

Email us at:

developer.services@thameswater.co.uk



0800 009 3921

Monday to Friday, 8am to 5pm



Thames Water Developer Services

Clearwater Court

Vastern Road

Reading

RG1 8DB